

# Adesol Green

## Moisture-curing polyurethane adhesive for synthetic grass bonding

Single-component, solvent-free polyurethane adhesive for bonding synthetic grass in residential settings, particularly recommended for small repairs.

### Technical data at 20 °C, 60% R.H.

Appearance	Viscous brown liquid
Density	1,150 kg/litre
Open time	6 – 8 hours
Application temperature	+5 to +35 °C
Tool cleaning	Immediately after use with Solvente S/23 solvent. Cured product must be removed mechanically.
Storage	12 months in original sealed packaging – Protect from frost
Packaging	500 ml bottles

### Instructions for use

Before starting the installation, ensure that the adhesive, flooring, and substrate are acclimated to the same temperature. It is important to remove the synthetic grass from its packaging several hours prior to installation to reduce internal tension caused by packaging. Lay it flat or at least loosen the rolls. Always follow the manufacturer's instructions for the covering.

Cut the nozzle and apply the adhesive evenly over the joining tape. Overlap the edges of the covering and apply firm pressure to the joint. Do not use in case of rain or high humidity.

### Safety Regulations

For professional use only. Strictly follow the label instructions and consult the safety data sheet before using the product.

### Disposal

Dispose of unused product and empty packaging in accordance with applicable local legislation.



ADHESIVES &  
SEALANTS



### CERTIFICATIONS



The recommendations in this technical bulletin are provided for informational purposes only and do not imply any responsibility on our part, as the methods and conditions of use are beyond our control. We recommend verifying the actual suitability for the intended use.  
Rev 01 – 20/09/2024. This sheet cancels and replaces the previous version.