



Uniqua

The first range of water-based **Self-Linking** lacquers for wood floors.

TOVER[®]
Your formula

UNIQUA SQ

Water-based Self-Linking lacquer 100% polyurethane

Uniqua SQ is the 100% polyurethane high performance water-based lacquer, perfect for very intense traffic areas.

Its **Self-Linking System** gets activated by water evaporation, it **highly improves particles bonding creating a stronger film** with exceptional long-lasting protection qualities, without the addition of any hardener.

Thanks to the perfect combination of hardness and elasticity Uniqua SQ guarantees **excellent mechanical performances**: high resistance to abrasion, scratches, black heel marks and household chemicals.

Ready to use, you don't need to mix it with other products thus getting an optimum workability. It can transform your floor through two coats only, without primer and further protection coat of lacquer.

Besides its excellent properties, perfect to satisfy any technical standard, Uniqua SQ offers its **maximum versatility** to meet any style request.

Uniqua SQ is available in extra-matt, matt, semiglossy and glossy versions.



Uniqua SQ has been tested and comply with EN 71-3:2013, the norm about the migration of some hazardous products from the wood.



Uniqua SQ is certified for sportfloors according to the norm EN14904.



Self-Linking System

The lacquer already containing the hardener




The Self-Linking System is an innovative self-cross-linking system which gets activated by water evaporation, creating stronger links among the resin particles. The result is a water-based lacquer with **extraordinary protection and long-lasting properties** without adding any external hardener.

Uniqua is also very easy to use, you don't need to mix it with other products, it has no pot-life and can be reused for further applications.

Single-pack lacquer particles




A mono-component water-based lacquer creates a protective film thanks to water evaporation. During this process, particles become closer until they create a fairly closed film. Consequently, the lacquer will have medium strength performances.



Two-component lacquer particles




The B component of a two-pack lacquer strengthens the links among particles. Once dry, it creates a closed and resistant film surface.



Uniqua SQ particles

Uniqua guarantees the maximum strength performances without adding a B component as its **self-linking system** getting active after water evaporation **promotes the formation of stronger links among particles**.



Self-Linking System

It gets activated by water evaporation



Uniqua: unique thanks to its characteristics



STRONG

Uniqua is a perfect combination of hardness and elasticity to reach excellent mechanical performances. Its high resistance to abrasion, scratches, black heel marks and household chemicals guarantees the longest-lasting protection also in high traffic areas.



SECURE

Uniqua has a very low VOC content, it is NEP, NMP and isocyanate free, - these are the main components of two-component lacquer hardeners. It is safe for kids: it has been tested and comply with EN 71-3:2013, the norm about the migration of some hazardous products from the wood.



EASY TO USE

Uniqua is ready to use, it offers an **excellent workability**, with no need of mixing and no pot life. It can be reused for further applications and easily removed from tools.

UNIQUA *Natur*

The water-based Self-Linking lacquer
for real wood lovers

Uniqua Natur creates an imperceptible but extremely strong film which **enhances the beauty of raw wood**. Created by Tover's research, dedicated to natural floor lovers, it has got a **light chromatic aspect** and the superficial film is perfectly invisible especially on light wood species like oak; we recommend to use Uniqua Natur on these woods as it can particularly valorize them.

Its curing system by self-cross-linking guarantees a high **long-lasting protection** against wear, scratches and spots and makes it suitable for intense traffic areas.

Isocyanate, NMP and NEP free, with a very low VOC content, it is **secure** both for the installer and for final users.

Nature is an absolute emotion, enjoy it!



UNIQUA ANTISLIP

The first water-based Self-Linking lacquer which is also anti-slip certified



Uniqua Antislip is the Self-Linking lacquer **anti-slip certified in R10 class according to DIN 51130** norm. Formulated to guarantee the **maximum safety conditions on stairs and in public places**, its self-cross-linking system ensures high abrasion and resistance properties against household chemicals thus making it the perfect solution for intense traffic areas.

Available in matt version.



UNIQUA AD+

Additive for Uniqua SQ

Uniqua AD+ is the additive you can add to Uniqua finishings in order to guarantee their adhesion on products as L'Olio 100% + Linker, Tintoretto Design and Gran Fondo; it allows you to use the first Self-Linking lacquer even under extreme conditions.



UNIQUA PAINT

A colour to design

Uniqua Paint offers a new concept of modern design in **nineteen full covering** colours for a modern matt painted stylish and emotional effect; white, black, several grey and beige shades and amazing metallic colours: copper, gold, silver and cast iron.


Uniqua Paint is **easy to use** as it can transform your floor through two coats only, without primer and further protection coat of lacquer.

Its **Self-Linking System** makes it suitable for high traffic areas, thanks to its excellent protection performances against scratches, abrasion and household chemicals.

Isocyanate, NEP and NMP free with a very low VOC content, Uniqua Paint is a **secure**, easy and stylish solution.



Colour Chart





ANTITANNINO

Monocomponent isolating water-based primer for wooden floors and wood

Antitannino is an isolating water-based primer you can use before the application of covering lacquers before coloration of wood species rich in tannin or colouring substances. Using this product you can **keep the chromatic effect unchanged over time.**

Its use is recommended also before lacquering in case of refurbishment.



TOVER[®]
Your formula


Made in Italy

find out more on

