

**STRONG,
FAST,
GREEN.**



CATALOGUE 2022



Primers &
Sub-floors



Adhesives &
Sealants



Lacquers
& Finishes



Cleaning &
Maintenance



Chemical
Technologies



Accessories

TOVER[®]

Your formula



TOVER WALKING THE WALK.

Our Competitors often "talk the talk" on green but at Tover we have been proudly walking the walk by powering our manufacturing machines with renewable energy sources since 2010. All of this is important yes, but its not as important as the most important person in our business. You.

We listen to you, take on board your suggestions and only then do we formulate products in our labs that help you to work better, stronger and faster, making your working day just that little bit less stressful. All of this to ultimately improve your bottom line and getting you smiling come your financial year end. We do this by giving you unrivalled performance MS Polymers, zero solvent-based systems of adhesives and oils, and truly ground breaking self linking lacquers that are free from Isocyanates, and outperform any other product that it is possible to buy today.

Tover. We've got your back.


Certifications

Quality certifications, transparency guarantees



Use symbols

Directions always at hand



**PRIMERS & SUB-FLOORS**

Solvent-free primers	6
Water-based primers	6
Solvent-based primers	7
Adhesion promoters	7
Self-leveling compounds	7

ADHESIVES AND SEALANTS

Two-part adhesives	10
One-part adhesives	11
Vinyl glues for wood	12
Restoration of old floors	12
Construcion adhesives and sealants	12
Adhesives for resilient floors	14
Accessories	16

LACQUERS & FINISHES

Water-based fillers	18
Water-based sealers	18
Water-based finishes	20
Fire retardant lacquers	23
Solvent-based fillers	24
Solvent-based sealers	24
Solvent-based polyurethane lacquers	24
Urethane finishes	25
Additives, thinners and solvents	26
Oils and waxes	27
Colouring systems	30
Ageing agents and reagents for wood	33
Finishes for sports floors	34
Cleaning of sports floors	36
Treatment for decking	38
Treatment for WPC floors	39
Water-based finishes for outdoor wood	39
Accessories for finishing	40

CLEANING & MAINTENANCE

Wood floor cleaning	44
Cleaning of floors in stoneware, laminate, resin, LVT	44
Antibacterial sanitizing and protective cleansers	45
Cleansers for decking and WPC	46
Floor maintenance	46
Floor maintenance kits and accessories	48

BUILDING MATERIALS

Myfloor flooring system	50
Resins and finishes for resin and cementitious floors	51

UNDERLAYS

Ewifoam underlays	54
Easydek floor cover	55

ABRASIVES

Welded belts	57
Nets	58
Pads	59
Double discs	59
Discs	60
Velcro discs	60
Triangles	61
Rolls	61

PRODUCTS A-Z

Adesblok T19	6	Pasta Color C.O.	26
Adesol 100	12	Pasta Color C.O.	51
Antique	33	Pasta Color L.O.	26
Attivatore	33	Primer C4	7
B Plus	23	Primer PU-FIX 60	7
B.E. Modulator	32	Primer PU100	6
Base Gold	19	Primer TS	6
Bella	22	Pro-Deck	38
Bella Natur	22	Pulito Parquet	44
Belle Epoque	31	Pulito Parquet Ready	44
Bosch Ciair	33	Quarzo Puro	7
Bosch Vej	33	R.F. Epoxy PAV	52
C61 Plus	26	R.F. Primer XPR	52
Cinderella	48	Rallenty	26
Cleaner	48	Ready-Pro	44
Color Plus	32	Reset 4.2	45
Crema d'Olio	29	Resinal Wax	47
Crema PR88	16	Restauro	12
Cristal	51	Re-Wood	46
Deck-Soap	46	Riflex B12	48
Decover	52	Rinovoil	47
Deteroil	44	Rockfloor F10	7
Deteroil Bianco	44	Sani Pro	45
Diluyente P/100	26	Sanifloor	45
Diluyente P/24	26	Saniparquet	45
Diluyente RMD/91	26	Saniplus	45
Durolak DD	24	Sigil clack	12
Durolak VNF 204	23	Sigil MS	11
Epo-fill 2K	24	Sigil MS Nero	13
Essenza	22	Soluzione S/28	26
Fast&Full EVO	18	Solvente A	26
Firestop	23	Solvente S/23	26
Fondo Antitannino	19	Sportfloor Base 1K	34
Fondo Isolante AL	24	Sportfloor Cleaner	36
Fossil	33	Sportfloor Cleaner N2	36
Full Gap	13	Sportfloor Color	35
Gekol H20	13	Sportfloor Finish	36
Gran Fondo	24	Sportfloor Grip&Clean	36
Green Cleaner	26	Sportfloor Remover	36
Grey Free	38	Sportoor Grip	34
Home Maxi	21	Stripcoll	16
I.R.O.	47	Super Gold	19
Idroblok 2K	6	Tingo Universale	32
Idroblok C3	6	Tintoretto Design	28
Idrofleur 2K	51	Tone Up	19
Idrofondo H20	18	Tovclean	16
Idrofondo Industry	32	Tovcol LVT Fibre+	14
Idrofondo Mito	19	Tovcol MPL	15
Idrolak DR97	22	Tovcol MS	11
Idrostucco RS/30	18	Tovcol MS LVT	14
Kit Design Maker	32	Tovcol MS LVT Wall	14
L'Olio 100%	27	Tovcol MS Start	11
Lakfloor	51	Tovcol PU2C	10
Lakfloor EP 2K	51	Tovcol PU2K	16
Lega Stucco RS/20	24	Tovcol PU2K Green	16
Lega Stucco RS/A	24	Tovcol RP	15
Lux	47	Tovcol S/E	12
Lux Bianca	47	Tovcol SR	10
Lux Matt	47	Tovcol T91	15
LVT Leveller	8	Tovcol TA EVO	10
Lympha	22	Tovcol TackiFast	15
Make Up	46	Tovcol TP2C EVO	10
Maxi Oil	25	Tovcol TP5	12
Maxima	22	Tovcol TST	15
Modostuc	18	Toverfix	7
Monolux	25	Tovstick E66	15
MyFloor Cleaner	44	TV1 Antisilicone	26
MyFloor Finish 1K	51	Uniqua AD+	21
MyFloor Resin 1K	50	Uniqua Antibatterica EVO	21
MyFloor Stone	50	Uniqua Antislip EVO	20
Nano-Fix	6	Uniqua Natur EVO	20
Natural Wood Oil	29	Uniqua Paint	30
Nettardue	45	Uniqua EVO	20
Oil Linker	27	Universal Wax	48
Oil Pro	29	WPC Cleaner	46
Oil4Sun	38	WPC Cover	39
P.E.P.P.	7	Xilocolor Cerato	39
Pasta Color AW300	26	Xilolak Cerato	39



PRIMERS & **SUB-FLOORS** **PREP.**





Subfloor Preparation

SOLVENT-FREE PRIMERS

Pack.



Primer PU100

One-part polyurethane DPM primer | Solvent-free and quick-drying time

Low viscosity polyurethane resin-based primer, solvent-free and odourless. It can be used as a water-proofing DPM (up to 5% R.H.) and consolidating primer agent or to obtain synthetic mortars if mixed with sand. Suitable also for use on underfloor heating systems.

SOLVENT
FREE

COD. AD16

g/m²
100 - 400

2 x 12 kg

1 - 2 h

3 x 6 kg



Adeblok T19

Epoxy two-part primer | Solvent-free

Solvent-free two-part primer, odourless. It can be used as water-proofing DPM (up to 5% R.H.) and consolidating agent on any absorbent and non-absorbent sub-floors including ceramics tiles. If mixed with sand, it enables to make thick repairs on the sub-floor.

SOLVENT
FREE

ISOCYANATE
FREE

COD. AD01

g/m²
150 - 400

2x (5+2,5) L

15 h

WATER-BASED PRIMERS



Nano-Fix

Water-based surface consolidating primer

Fast drying one-part primer in water dispersion formulated with resins composed of nanometric particles. Anti-dust, it has a consolidating action on the surface of absorbent substrates like concrete, gypsum, anhydride. It is suitable for use with underfloor heating systems. It enables bonding with any type of adhesive.

SOLVENT
FREE

ISOCYANATE
FREE

COD. AB31

m²/l
5 - 10

2 x 10 L

1 h

3 x 5 L



Idroblok C3

Three-part water-proofing primer for non-absorbent sub-floors

Epoxy solvent-free three-part primer, it perfectly bonds even on very smooth surfaces like ceramics, sandstone, marble etc. Thus it can be used to water-proof non-absorbent sub-floors promoting the glue adhesion. Recommended for areas with humidity raising.

ISOCYANATE
FREE

COD. AD06

g/m²
500 - 750

2 x 5 kg

12 h



Idroblok 2K

Two-part, water-based, consolidating and waterproofing epoxy primer
Solvent-free

It can consolidate and waterproof subfloors with high residual humidity (max RH 5%). Odourless, solvent-free, dilutable with water. Suitable for isolating residues of old adhesives.

SOLVENT
FREE

ISOCYANATE
FREE

COD. AB36

g/m²
150 - 300

2 x 5 kg

8 - 10 h



Primer TS

Water-based one-part consolidating primer

One-part water-based primer for surface and deep consolidating of dusty, poor or damaged concrete sub-floors. Once dry, it allows bonding with any type of adhesives.

SOLVENT
FREE

ISOCYANATE
FREE

COD. AB16

g/m²
400 - 2000

2 x 12 kg



SOLVENT-BASED PRIMERS

Pack.



TOVERFIX Solvent-based one-part polyurethane primer

Polyurethane resin-based primer. It can be used as water-proofing DPM (up to 5% R.H.) and consolidating agent on concrete sub-floors or to obtain synthetic mortars if mixed with sand.

COD. AC26

m²/l
4 - 5

2 x 10 L

8 h

3 x 5 L



PRIMER PU-FIX 60 Solvent-based one-part polyurethane primer | MDI-free

High solid polyurethane MDI-free primer. It can be used as water-proofing DPM and consolidating agent and it is particularly suitable to block old-floors. Mixed with wooden dust, it can be used as a filler for big cracks.

COD. AC33

MDI
FREE

m²/l
3 - 5

3 x 5 kg

6 h

ADHESION PROMOTERS



P.E.P.P. Adhesion promoter for adhesives

Ready-to-use one-part primer to promote the anchorage of epoxy and polyurethane adhesives on pre-existing non-absorbent subfloors like ceramic tiles, sandstone, etc.

COD. AC11

ISOCYANATE
FREE

m²/l
25 - 35

3 x 5 L

5' - 10'

12 x 1 L



PRIMER C4 Water-based adhesion promoter for self-leveling compounds

Ready-to-use one-part primer to promote the anchorage of leveling compounds on any type of sub-floor. It can be used also to promote adhesion between leveling compounds in any application.

COD. AB11

SOLVENT
FREE ISOCYANATE
FREE

m²/l
5 - 10

3 x 5 L

SELF-LEVELING



ROCKFLOOR F10 Fiber-reinforced self-leveling compound

Rockfloor F10 enables leveling up to 10 mm thick even on irregular concrete sub-floors before the installation of wooden flooring. It is also suitable on deformable screeds before the installation of resilient floors coverings.

COD. AA06

kg/m²
1,7 x mm

25 kg

12 h

1050 kg



Quarzo Puro Pure siliceous aggregate

Quarzo Puro is a controlled granulometry quartz sand, washed, dried and selected with constant particle size. Suitable on primers to promote adhesives adhesion on concrete. Can be used to make mortars, concrete.

COD. AA11

25 kg

1050 kg



LEVELING

Pack.



LVT Leveller

Ready-to-use grout smoother for LVT

Ready-to-use grout smoother to be applied before laying a bonded or floating LVT or SPC. Easy to sand, it allows leveling (up to 2 mm) without creating thickness and sanding is possible after just 2 hours.



COD. AA21



44 x 15 kg



90 x 5 kg





ADHESIVES & SEALANTS.





TWO-PART ADHESIVES

Pack.



Tovcol TP2C EVO

Two-part epoxy-polyurethane adhesive | Solvent-free

Epoxy-polyurethane adhesive with high performances. Suitable for bonding any species, solid, engineered and prefinished on absorbent and not sub-floors. Excellent resistance and hardening even if a thick layer is applied, it enables to lay also on irregular sub-floors. Its high workability makes mixing and application easier and improves yield. Twin Pack System.



COD. BB51



55 x (9+1) kg



Tovcol TA EVO

Two-part epoxy-polyurethane adhesive

Epoxy-polyurethane adhesive with high performances. Suitable for bonding any species, solid, engineered and prefinished on absorbent and not sub-floors. Excellent resistance and hardening even if a thick layer is applied, even over irregular sub-floors. Its high workability makes mixing and application easier and improves yield. Twin Pack System.



COD. BB46



55 x (9+1) kg



Tovcol PU2C

Two-part polyurethane adhesive | Solvent-free

Two-part polyurethane adhesive, odourless and solvent-free. Suitable for laying solid and engineered parquet on all types of sub-floors, including underfloor heating systems. Easy-to-apply, it enables an elastic and tough bonding. Twin Pack System.



COD. BB26



55 x (9+1) kg



Tovcol PU2C Plus

55 x (9+1) kg



Tovcol SR

Two-part polyurethane adhesive for small repairs

Two-part polyurethane adhesive. Extremely quick setting. Suitable for urgent bonding and parquet repairs on any sub-floor, it enables sanding in very short time frames.



COD. BB41



0,9 + 0,1 kg

TOVCOL SR:
PERFECT FOR
HERRINGBONE
LAYING





MS POLYMER ADHESIVES. STRONG - ELASTIC.



ONE-PART ADHESIVES

Pack.



Tovcol MS

One-part silane-modified adhesive | MS Polymer

MS polymer one-part adhesive. Holds its peak well and has a long open time. Suitable for any wood species and guaranteed to bond any size of engineered flooring. For solid wood bonding of up to 200 mm wide boards is guaranteed and there is no need for a primer on non-absorbent and metallic sub-floors. Easy to clean and coverage of 15-16 m² per 15kg bucket.



COD. BB21

g/m²
700 - 1200

6 - 8 h

44 x 15 kg



Tovcol MS Start

One-part silane-modified adhesive | MS Polymer

MS polymer one-part adhesive. Holds its peak well and has a long open time. MS Start is guaranteed to bond any size and species of engineered flooring and solid boards up to 140 mm wide. Suitable for small lamellas as it does not swell. MS Start has exceptional coverage of 16-18 m² per 15kg bucket.



COD. BB56

g/m²
700 - 1200

6 - 8 h

44 x 15 kg



Sigil MS

Elastic sealant adhesive | MS Polymer

Sigil Ms is highly elastic and guarantees a tough bonding for any type of flooring except plastic materials. It is useable also in a vertical position for bonding stairs, profiles, skirting boards, etc. Easy to clean from hands and prefinished floors. Black Sigil MS is UV resistant and can be used as a sealer for outdoor applications.



COD. BH01

OPEN TIME
30' - 40'

24 h

20 x 600 ml



VINYL ADHESIVES FOR WOOD

Pack.



Tovcol S/E

Vinyl glue for industrial pressure assembling of wood parts

Poly-vinyl-acetate water based emulsion suitable for bonding wood elements like frames, panels, engineered parquet and laminate flooring requiring a good water resistance, for internal and external use. After drying the adhesive is completely transparent and has a D3 water resistance according to EN 204 standard.



COD. BA11



55 x 10 kg



9 x 5 kg

12 x 1 kg



Tovcol TP5

Vinyl glue for wood, floating parquet and laminated floors

Water-based glue, solvent-free, for bonding of wooden self-locking floors and laminates. It guarantees a quick setting, and is totally transparent with water resistance to D3 class (according to DIN EN 204 standard). Suitable also for bonding small wooden parts.



COD. BA26



20 x 500 ml



RESTORATION OF OLD WOOD FLOORS



Adesol 100

One-part polyurethane adhesive | For repairs

One-part polyurethane adhesive, solvent-free. Its characteristic of expansion makes it particularly suitable for quick fixing and repair of wooden parts. It can be used before and after parquet sanding. Water-resistance D4 - DIN EN 204.



COD. BB01



20 x 500 ml



Restauro

Elastic expanding resin

One-part odourless moisture cure resin. It is suitable to block old wooden floors, which move and are not perfectly fixed. Being odourless it does not create any discomfort to house inhabitants.



COD. AD16



3 x 3 kg



CONSTRUCTION ADHESIVES AND SEALANTS




Sigil Clack

Sealant for laminate and click-system flooring

Water-based sealant for click-system flooring in laminate and wood. Prevents the swelling of floor joints in areas where moisture can be high like kitchens, bathrooms etc. It hermetically seals the joints without bonding them, enabling to remove the floorings without damaging them.



COD. BG06



20 x 500 ml





CONSTRUCTION ADHESIVES AND SEALANTS

Pack.



Sigil MS Nero
Black MS sealant | MS Polymer

Elastic and tough bonding on any type of support except some plastic materials in internal and external. It resists UV rays and climatic agents and can be also used used for sealing joints.



COD. BH01



20 x 600 ml



Full Gap
Acrylic coloured sealant

Acrylic sealant, overpaintable, silicon free, with high tack and good elasticity. It can be used for parquet joints and cracks (perimeter joints, skirting boards, etc), wood in general and all porous materials used in the building industry.



COD. BG01




12 x 310 ml

Colour chart




White
002



Sand Oak
185



Grey
022



Light Oak
007



Doussié /
Cherry
014



Teak /
Light Walnut
015



Wengé /
Dark Walnut
020



Gekol H20
Quick setting construction adhesive

Water-based adhesive with a very quick initial tack suitable to fix, also in vertical position, light elements like skirting boards, wooden, metallic and PVC profiles, gypsum panels, expanded polyurethane panels, PE, polystyrene on absorbent sub-floors like concrete, wood, stone, etc.



COD. BA36



12 x 310 ml

GEKOL H20
QUICK-SETTING,
SOLVENT-FREE.





ADHESIVES FOR RESILIENT FLOORING.



ADHESIVES FOR RESILIENT FLOORING

Pack.



Tovcol LVT Fibre+

LVT fibre-reinforced acrylic adhesive

Tovcol LVT Fibre+ is the fibre-reinforced acrylic-based solvent-free adhesive, with no waiting time, suitable for LVT flooring on any type of absorbent subfloors, with very quick and strong initial tack, has an excellent adhesion and a perfect dimensional stability.



COD. BD21

g/m²
250 - 300

44 x 12 kg

h
5 - 6 h

90 x 5 kg



Tovcol MS LVT

One-part silane-modified adhesive for LVT | MS Polymer

One-part MS adhesive for LVT, SPC, PVC, rubber and linoleum. Suitable for laying on any kind of subfloor, and is also suitable for use with underfloor heating systems. It is particularly resistant to dampness (humidity), water, heat, static and dynamic loads. It is perfect for commercial and industrial environments, and is secure for the user as isocyanate and solvent-free.



COD. BE11

g/m²
350 - 400

44 x 12 kg

h
12 h

90 x 5 kg



Tovcol MS LVT Wall

One-part MS Polymer adhesive for LVT on walls

One-part MS adhesive for LVT and SPC installation on walls, non leaking and non slip. It is suitable on both absorbent and non-absorbent surfaces and can be used to apply every kind of resilient and textile covering. Particularly resistant to humidity, water and heat, it is suitable for commercial and industrial environments.



COD. BE16

g/m²
350 - 400

90 x 5 kg

h
12 h



ADHESIVES FOR RESILIENT FLOORING

Pack.



Tovcol RP
Acrylic adhesive for any type of resilient coverings

Solvent-free acrylic glue for bonding in interior resilient coverings on absorbent surfaces. Universal, it is suitable for PVC and vinyl, rubber, cork and textiles.



COD. BD01

g/m²
200 - 400

44 x 15 kg



Tovcol MPL
Acrylic adhesive for any type of resilient coverings

Solvent-free acrylic glue for bonding in interior resilient coverings on absorbent surfaces. Universal, it is suitable for PVC and vinyl, rubber, cork and textiles.



COD. BD16

g/m²
200 - 400

44 x 15 kg



Tovcol TST
Pressure sensitive acrylic adhesive for resilient coverings

Solvent-free acrylic glue for bonding in interior environments resilient coverings like textiles, PVC, linoleum on absorbent or not surfaces also in vertical position. Thanks to the permanent tack of the adhesive, the flooring can be removed without any damages to the flooring.



COD. BD06

g/m²
150 - 250

44 x 12 kg



90 x 6 kg



Tovcol TackiFast
Pressure sensitive acrylic adhesive for vinyl floorings and carpets

Tovcol TackiFast is a solvent-free non-staining polymer dispersion adhesive, designed to provide a permanently tacky film when dry. It facilitates removal and replacement of carpet tiles without application of further adhesive. Recommended for bonding carpet tiles with any type of backing like PVC, polypropylene. Suitable for laying on absorbent, not absorbent subfloors and on underfloor heating systems.



COD. BD26

g/m²
100 - 200

90 x 5 kg



Tovstick E66
Neoprene adhesive for PVC and plastic flooring

Neoprene double buttering adhesive for bonding in interior PVC and plastic flooring on any type of sub-floors absorbent and non-absorbent. The glue has an immediate set.



COD. BF06

g/m²
300

12 x 850 ml

8 x 1700 ml



7000 ml



Tovcol T91
Two-part epoxy-polyurethane adhesive

Two-part fluid epoxy-polyurethane adhesive for bonding both in internal and external environments resilient floorings like PVC, rubber, linoleum, textiles on any type of sub-floors, absorbent and non. Available in light brown, red, black and green. It can be applied in vertical position.



COD. BE01

g/m²
250 - 400

55 x (9+1) kg





ADHESIVES FOR RESILIENT FLOORING

Pack.



Tovcol PU2K

Two-part polyurethane adhesive for resilient flooring

Two-part polyurethane adhesive, water and solvent-free, for indoor and outdoor installation of rubber or PVC flooring. Also suitable for LVT. Twin Pack System.



COD. BE06

g/m²
300



55 x (9+1) kg



Tovcol PU2K Green

Two-part polyurethane grass adhesive

Two-part solvent-free polyurethane adhesive for bonding of PVC and synthetic grass in internal and external environments on any type of sub-floors absorbent and non. Available green. Twin Pack System.



COD. BE06

g/m²
1000-1200



55 x (9+1) kg

ACCESSORIES



Stripcoll

Adhesive residues remover

Aliphatic cleaning product to remove adhesive residues, even dry from wooden floors and laminates. It is also very efficient to remove dirt and shoes black marks on sportive floors.

COD. DD46

12 x 1 L



Tovclean

Hand cleaning wet-wipes

Tovclean is a non-woven fabric (slightly abrasive on one side, soft on the other) damped with a very effective cleanser solution that eliminates all kinds of dirt. The TOVCLEAN wipes are a practical way to clean your hands quickly without using soap and water. These wipes effectively eliminate oils, tar, glues, paints, silicones, inks, toner for photocopying machines/printers, grass. Removes petrol, diesel smells from hands, leaving them delicately scented. The product is enriched with natural emollients and moisturisers. Dermatologically tested for skin compatibility.

COD. FE01011

6 x 70 pz



Crema PR88

Water soluble barrier cream

Crema PR88 is a water soluble barrier cream, with a glycerin base, which provides effective protection against a wide variety of greases, oils, lacquers, paints, polyurethane glues, PU-resins, epoxy resins, fiberglass, tar, dyes, resins, inks, graphite, gasoline, most solvents, etc.

COD. FE01012

12 x 1000 ml



Notched trowel

Type 5 10 mm tooth 20 cm width
Type 6 8 mm tooth 20 cm width
Type 2 3 mm tooth 20 cm width
Type A2 1.4 mm tooth 18 mm width

COD. FD03

Type 5/6/2

12 pz

Type A2

10 pz



LACQUERS & **FINISHING.**





WATER-BASED FILLERS

Pack.



Idrostucco RS/30

Water-based filler to be mixed with wooden dust

Odourless and quick-drying water-based resin to be mixed with wooden dust to fill parquet scratches and joints. Easy to sand and very good filling action.



COD. CA01



3 x 5 L



12 x 500 ml

COD. CA06



Modostuc

Ready-to-use coloured plastic filler

Suitable for making knots and repairing of large wood cracks. High filling power and fast drying. Available colours: White, Oak, Walnut, Dark Walnut, Cherry, Teak, Beech.

COD. CA06

WATER-BASED SEALERS



Idrofondo H20

One-part water-based sealer | Natural effect

Water-based sealer recommended to keep the natural aspect and original colour of the wood. It uniformes the wood absorption making easier the application of lacquers.



COD. CC21



3 x 5 L



Fast&Full EVO

Water-based Self-Linking pre-lack for wood flooring | Two coat finishing

Fast&Full is the high coverage Self-Linking water-based pre-lack suitable on any wood species for a natural effect. It is easy to sand after 2 hours and allows finishing in just 2 coats with water-based Tover lacquers.



COD. CC76



3 x 5 L



QUICK AND COVERING.
A GREAT RESULT.



FAST&FULL

The **Self-Linking** water-based sealer for wooden floors. Finishing in only **2 coats**.



WATER-BASED SEALERS

Pack.



Idrofondo Mito

Water-based Two-part sealer | Natural effect

Water-based sealer with an excellent covering action even on porous woods, it keeps the natural aspect of the wood. It replaces a coat of lacquer and thus enables to complete the finishing cycle in two coats.



COD. CC26



2 x (5+0,5) L



Super Gold

Two-part water-based primer | Super warming effect


Excellent covering performance and intense warming action on all wood species, even exotic. Easy-to-apply, it has a very long workability time such as to minimize the risk of overlaps, allowing finishing in only two coats.



COD CC08



2 x (5+1) L



Raw wood

Super Gold



Base Gold

Two-part water-based primer | High workability

Creates a slightly warming effect and forms a protective film that allows you to complete the finishing cycle in only two coats.



COD. CC06



2 x (5+1) L



Tone Up

One-part water-based sealer | Warming effect

Water-based sealer recommended to obtain a warmer look and feel. Particularly suitable on exotic woods.



COD. CC02



3 x 5 L



Fondo Antitannino

One-part isolating primer

Water-based impregnation product to be used as pre-treatment before using whitening water-based products. Compulsory on woods rich of tannin or colouring substances like ipé, merbau, etc.



COD. CC56



3 x 5 L

12 x 1 L



WATER-BASED FINISHES.



WATER-BASED FINISHES

Pack.



Uniqua EVO

Water-based one-part Self-Linking lacquer | Very high traffic

Uniqua EVO is the 100% polyurethane water-based lacquer for very intense traffic. It has exceptional long-lasting protection qualities, without the addition of any hardener. Uniqua EVO guarantees excellent mechanical performances: high resistance against abrasion, scratches, black heel marks and household chemicals. Ready-to-use. Available in extra-matt, matt, semi-glossy and glossy versions. No primer needed.



COD. CE41



3 x 5 L



Uniqua Natur EVO

Self-Linking water-based one-part lacquer | Natural effect

Uniqua Natur EVO is a polyurethane Self-Linking water-based lacquer suitable on oak and light woods to achieve an invisible nude look woods to achieve a "nude look". It has excellent resistance properties against abrasion and spots and thus perfectly suitable for commercial high traffic areas. Easy-to-apply in two coats without primer, isocyanate free, it guarantees a total safety during and after its use.



COD. CE41



3 x 5 L



Uniqua Antislip EVO

Water-based one-part Self-Linking lacquer for wood floors | Antislip certified

Uniqua Antislip EVO is the water-based Self-Linking lacquer for wood flooring that is also R10 antislip certified according to the standard DIN 51130. We have formulated it to guarantee ultimate safety on stairs and all public areas; its Self-Linking curing system ensures amazingly strong resistance against abrasion and chemicals, even in the most hostile commercial environments. Gloss scale: matt.



COD. CE43



3 x 5 L



WATER-BASED FINISHES

Pack.



Uniqua Antibatterica EVO
Water-based one-part antibacterial lacquer

Uniqua Antibatterica EVO is the water-based Self-Linking lacquer for wood floors with antibacterial action. Formulated with silver ions, it is effective against 99% of germs and bacteria. The duration of the antibacterial action is guaranteed until the complete wear of the lacquer. Extremely resistant to abrasion, scratches and stains, Uniqua Antibatterica EVO is perfect for high traffic areas. Available in the extra-matt, matt, semi-glossy and glossy versions.



COD. CE45

m²/l
12 - 14

3 x 5 L

3 - 4 h



Uniqua AD+
Additive for Uniqua lacquers

Uniqua Ad+ is the additive you can add to Uniqua lacquers in order to guarantee their adhesion on products like Tintoretto Design and Gran Fondo. It allows you to use the first Self-Linking lacquer even under extreme conditions.

COD. CE44

250 ml



Home Maxi
Water-based one-part Self-Linking lacquer for wood floors

Home Maxi is the Self-Linking lacquer for medium traffic areas. It creates a uniform aspect and in a few days it reaches a very good chemical and abrasion resistance. Perfect on exotic wood to keep the original colour, the lacquer does not whiten nor yellow the wood. With its extra-matt version, a very natural aspect can be achieved. Available in extra-matt, matt, semi-glossy and glossy versions.



COD. CE06

m²/l
10 - 12

3 x 5 L

2 - 3 h





WATER-BASED FINISHES

Pack.



Maxima

Two-part water-based lacquer | Very intense traffic

Maximum performance for extremely intense traffic environments like public places and commercial areas. Easy to use, with a long working time, it keeps the original colour of the wood, even on exotic species. Available in extra-matt, matt, semi-glossy and glossy versions.



COD. CE81



2 x (5+0,5) L



Essenza

Water-based two-part lacquer / Totally invisible look

Essenza is the two-part water-based lacquer for a perfect unfinished look of light woods like oak or maple. Even if the finishing is totally invisible, the lacquer guarantees extremely high resistance to scuffing and abrasion even in the most demanding commercial environments.



COD. CE66



2 x (5+0,5) L



Bella

Water-based two-part lacquer | Isocyanate free

Water-based two-part lacquer with good covering action, recommended for heavy traffic areas. Totally isocyanate free, the product is completely safer during and after the application. Particularly easy to use, it has excellent properties of resistance to households chemicals and abrasion. Available in extra-matt, matt, semi-glossy and glossy versions.



COD. CE61



2 x (5+0,5) L



Bella Natur

Two-part water-based lacquer | Isocyanate-free

Naturalized effect for light woods. Available in Extra-matt.



COD. CE61



2 x (5+0,5) L



Idrolak DR97

Water-based two-part lacquer | Natural effect

Idrolak DR97 SQ is the water-based two-part lacquer which enables to achieve a high rich finishing keeping the original wood colour, even for exotic woods. It is very easy-to-apply, it has a long working time and an excellent chemical and physical resistance. Available in extra-matt, matt and semi-glossy versions.



COD. CE21



2 x (5+0,5) L



Lympha

Water-based two-part lacquer | Unfinished rough effect

Lympha is the water-based two-part lacquer able to provide the wood with a totally natural look. It creates an open pore effect like an oil treatment. Particularly easy to use, it avoids overlapping thanks to its deep penetration into the wood. Perfect on exotic wood to keep the original colour, it has an excellent resistance to abrasion, wear and household chemicals. Available extra matt.



COD. CE31



2 x (5+0,5) L



WATER-BASED FINISHES



B Plus

Hardener for two-part water-based lacquers and primers

It can be used to catalyze all Tover water-based lacquers and sealers.

COD. CE58

Pack.

- 100 ml
- 250 ml
- 500 ml
- 1 L

FIRE RETARDANT LACQUERS



Durolak VNF 204

Two-part, solvent-based, fire-retardant lacquer for wood

Durolak VNF 204 is the high solid fire retardant lacquer for wooden floors and artefacts of all types, certified in Class 1 according to DM 6-3-1992 and the UNI 9796 standard.



COD. CF16

m²/l
N.A.

5 + 5 L



m²/l
N.A.

2 x (5+1) L



Firestop

Water-based two-part lacquer | Fire-retardant

Water-based two-part fire-retardant lacquer for application on site or industrially. Fire resistance class: C-s1 according to the EN 13501-1 European Standard, on any wooden species. Highly resistant to intense traffic, it is in compliance with the EN 14904 standard for sportive floors finishing.



COD. CE51

FIRESTOP.
FIRE RETARDANT AND
SUITABLE FOR HIGH
TRAFFIC.





SOLVENT-BASED FILLERS

Pack.



Lega Stucco RS/A

Low odour solvent-based binder for filler

Quick-drying solvent-based resin to be mixed with wooden dust to fill parquet scratches and joints. The product does not shrink and has excellent filling properties.

COD. CB21



2 x 10 L



3 x 5 L



Lega Stucco RS/20

Solvent-based filler to be mixed with wooden dust

Quick-drying solvent-based resin to be mixed with wooden dust to fill parquet scratches and joints. The product does not shrink and has excellent filling properties.

COD. CB06



2 x 10 L



3 x 5 L



Epofill 2K

Two-part epoxy filler for repairing knots
Coloured

It penetrates deeply into the wood cracks, and is characterized by a long time of workability. Available in Oak, Dark Walnut and Black.

COD. CB31



0,75 + 0,25 kg



SOLVENT-BASED SEALERS



Fondo Isolante AL

One-part solvent-based sealer

Synthetic solvent-based impregnating sealer with quick-drying time. Easy-to-apply, it guarantees excellent isolating and covering properties. It can be overcoated with both solvent-based polyurethane lacquers and water-based lacquers.

COD. CD36



3 x 5 L



Gran Fondo

Solvent-based two-part sealer

Solvent-based polyurethane two-part sealer with high covering properties. It quickly dries and is easy to sand. Its content of solvents enables this product to comply with the European directive on VOC limit.

COD. CD26



10 + 10 L



2 x (5+5) L

SOLVENT-BASED POLYURETHANE LACQUERS



Durolak DD

Polyurethane two-part lacquer

High solid solvent-based polyurethane two-part lacquer with good properties of application and leveling. The surface film reaches optimum values of chemical resistance combined with a high resistance to abrasion and wear. Available semi-glossy.

DD60 COD. CF03028G
DD40 COD. CF61028E



2 x (5+5) L





SOLVENT-BASED POLYURETHANE LACQUERS

Pack.



Monolux
Polyurethane one-part lacquer for high traffic

Polyurethane moisture-curing one-part lacquer with very high gloss (approximately 100), extremely resistant to wear, transparent, suitable for intense traffic.

COD. CF41

m²/l
10

16 h

3 x 5 L

HARDWAX OILS



Maxi Oil
High strength hard wax oil for wooden floors

Maxi Oil is a high strength hard wax oil with excellent resistance against traffic and chemicals. Easy-to-apply, with no evident brushstrokes on application. Available in glossy, semi-glossy, matt and extra matt versions. Minimum quantity for a coloured version: 20 litres.

COD. CF28



m²/l
12 - 14

12 - 14 h

4 x 2,5 L

12 x 1 L





ADDITIVES, THINNERS AND SOLVENTS

Pack.

Rallenty

Water-based retardant for waterborne lacquers

COD. DC06

Water-based retardant to slow down the drying time of waterborne lacquers in hot or dry application conditions. It limits the risk of overlapping.

12 x 1 L

Soluzione S/28

Solution for the cleaning of tools and machines

COD. DC16

Solution for the cleaning of tools and machines used with water-based finishes. Diluted, it also enables the storage of rollers and brushes between two works.

2 x 10 L

3 x 5 L

C61 Plus

Anti-mold impregnating agent, to be used to prevent woodworm attacks

COD. CI06

3 x 5 L

12 x 1 L

TV1 Antisilicone

Anti-silicon additive

COD. DD56

100 g

Pasta Color AW300

White water-soluble pigmented paste

COD. DA26

1 kg

Pasta Color C.O.

Pigmented paste dilutable in aromatic solvents. RAL colours

COD. DB01

1 kg

Pasta Color L.O.

Pigmented paste dilutable in aliphatic solvents. Yellow, Red, Yellow, White

DB06

1 kg

Diluyente P/24

Polyurethane thinner

COD. DD11

Polyurethane thinner to be added to polyurethane primers and solvent-based PU lacquers to improve their penetration into sub-floors and make easier the application.

2 x 10 L

12 x 1 L

Diluyente P/100

Thinner for Primer PU/100

COD. DD06

Odourless thinner for Primer PU/100 and all polyurethane primers. It decreases a lot the primer viscosity to improve its penetration into the sub-floor.

12 x 1 L

Diluyente RMD/91

Thinner for oils, waxes and oil-urethane lacquers

COD. DD16

Slow evaporation aliphatic thinner specific to dilute oils, waxes and oil-urethane lacquers.

3 x 5 L

12 x 1 L

Green Cleaner

Thinner for the dilution of oils and waxes

COD. DD61

Slow evaporation odourless aliphatic thinner specific for the dilution of impregnating oils and waxes and the cleaning of tools and machines used with oiled based products or oil-urethane lacquers.

2 x 10 L

12 x 1 L

Solvente A

Thinner for acid curing lacquers and epoxy-polyurethane adhesives

COD. DD31

High quality solvents to dilute ureic lacquers with acid catalyst and to clean tools. It can be added to epoxy-polyurethane adhesives up to 5% to dilute them.

3 x 5 L

12 x 1 L

Solvente S/23

Thinner for tools cleaning

CO. DD36

Washing solvent to clean tools used with solvent-based lacquers.

2x10 L

3 x 5 L

12 x 1 L



OILS AND WAXES.



OILS AND WAXES

Pack.



L'Olio 100% Solvent-free natural hardwax oil

L'Olio 100% is a natural product based on oils and natural hard waxes of vegetable origin. Water and solvent-free, it is 100% solid and has an extremely high coverage, allowing you to apply in one coat only. Its wax content efficiently protects the wood and provides visual and tactile smoothness, while oil penetrates deeply, nourishing the wood. Mixed with Oil-linker its resistance against stains and abrasion is even reinforced.



COD. CG41



4 x 2,5 L

12 x 1 L



100 ml



Oil-Linker Natural oil cross-linker

Oil-Linker is a cross-linker that can be mixed with Tover natural oils to increase their strength properties against wear and stains. Oil-Linker enhances and reinforces the links among oil molecules, allowing for even higher performance.



COD CG51



250 ml

100 ml



OIL COLOUR CHART


Colour chart




Neutral 001



Light 229



White 002



Milk 256



Artic 079



Light Grey 113



Grey 022



Warm Grey 286



Smoke 081



Pearl 080




Rose 078



Rose Grey 089



Halifax 126



Stone 061



Fumé 107



Tobacco 108



Cappuccino 109



Whisky 082



Cherry 014



Mahogany 012



Teak 015



Light Walnut 016



Dark Walnut 019




Antique Walnut 018




Wengé 020




Black Ebony 021




Anthracite 087




Honey 098



Lilla 097




Green Grass 053



Moss 116



Blue Capri 054



Night Blue 115



Tintoretto Design
Colouring oil base for wooden floors

Ready-to-use colouring oil base. It can be overcoated with Tover two-part water-based lacquers and oils. It enables to colour large surfaces without risk of overlapping, even on its own. It exists in neutral and coloured version, the neutral transparent one to dilute colours to create endless shades.

m²/l
30 - 40

6 - 8 h

Pack.

12 x 1 L

COD. CG47



OILS AND WAXES

Pack.



Oil Pro

High resistance hardwax oil | Soft touch

Oil Pro is a highly resistant hardwax oil that successfully combines the softness of an oil with the strength of a lacquer. It penetrates deeply and creates a protective surface that guarantees high resistance against stains, scratches and abrasion. Safe for people and the environment, it is easy to use. Unlike a traditional oil, it does not require extraordinary maintenance. Available semi-glossy and extra matt.



COD. CG56

m²/l
12 - 14

4 x 2,5 L

12 x 1 L



12 - 14 h



Crema d'Olio

Hardwax oil

Crema d'Olio is a finishing based on oils and natural hardwaxes. Easy-to-apply, it presents no brushstrokes on application and guarantees seamless application on larger areas. Its wax content efficiently protects the wood and provides visual and tactile smoothness, while oil penetrates deeply, nourishing the wood. Mixed with Oil-Linker, Crema d'Olio reaches an even higher performance regarding stain resistance.



COD. CG01

m²/l
50 - 60

Neutral

4 x 2,5 L

12 x 1 L



6 - 8 h

Coloured

12 x 1 L



Natural Wood Oil

Water-based oil for wooden floors. Invisible look

Natural Wood Oil is a water-based oil which keeps the original wood aspect protecting the surface with an open pore imperceptible coating. It guarantees high protection performance against abrasion, scratches, black heel marks and household chemicals. Formulated with plant-origin resins, it is sustainable and secure for both people and the environment. It may be used as one-part or with a hardener for major resistance. Available extra matt.



COD. CH26

m²/l
12 - 14

4 x 2,5 L

12 x 1 L



3 - 4 h

NATURAL WOOD OIL.
THE REAL PLEASURE
OF WOOD.





COLOURING SYSTEMS

Pack.



Uniqua Paint

Water-based Self-Linking lacquer | Full painted effect

Water-based Self-Linking coloured paint recommended for very high traffic areas. Thanks to its innovative Self-Linking System, it has exceptional long-lasting protection qualities without the need to add a hardener. It combines an extremely easy use with excellent mechanical properties, a maximum hardness, elasticity and resistance to abrasion. Does not need to be overcoated with an oil or a lacquer. Available matt.



m²/l
8 - 10


4 x 2,5 L

4 - 5 h


12 x 1 L

COD. CE41


Colour chart




Black
260




Carrob
266



Anthracite
087




Traffic Grey
277



Shadow Grey
102



Quarz Grey
268




Andromeda
278




Squirrel Grey
289



Dust Grey
261



Silk Grey
148



Agate Grey
090




Beige
030



White
259




Light Blue
291




Red
111



Copper
290



Gold
272



Silver
274



Cast-Iron
319

LET'S
COLOUR IN
ONLY TWO
COATS!





COLOURING SYSTEMS.

RE-DISCOVER
THE COLOUR

COLOURING SYSTEMS

Pack.



Belle Epoque Water-based stain for wood

Water-based one-part stain for wood. It grants a distressed aspect to any species. Overcoatable with oils and lacquers. Using B.E. Modulator, it is possible to get lighter effects.



12 x 1 L



100 ml

COD. CC71


Colour
chart



Burnt
297




Chocolate
264



Antique Walnut
019



Ash
138



Double Smoked
317



Teak
015



Caramel
166



Ocher
262



Chestnut
009




Sahara
271



Dove
135




Clay
269



Tea Grey
270



Green Grey
239



Moss Grey
263



Antique Grey
242



COLOURING SYSTEMS

Pack.



B.E. Modulator
Colour modulator for Belle Epoque stain

B.E. Modulator reduces the colour intensity of the Belle Epoque stain. Added to the selected colour, it produces lighter tones. Once the dilution ratio has been selected, a simple measuring cup is enough to obtain easily repeatable colour shades.

COD. CC71

12 x 1 L

500 ml



Kit Design Maker
Kit for the creation of customized finishes with Belle Epoque stain and L'Olio 100%

It contains samples of Belle Epoque and L'Olio 100% colour

COD. CL01

1 pz



Tingo Universale
Concentrated colouring pigments for wooden floors

Concentrated colouring pigments to be added to any type of water or solvent-based lacquer to colour the wood. Available in oak, doussié, teak, mahogany, walnut, wengé, black, red, blue and green versions.

COD. DA21

500 ml



Idrofondo industry
One-part water-based coloured primer for industrial applications

Suitable for finishes with industrial systems. Its drying speed allows to complete the lacquering cycle in a short time. Available in a wide range of colours, it can be overcoated with any Tover water-based lacquer.



COD. CC21

m²/l
15 - 25

4 x 2,5 L




Color Plus
Colour additive for water-based primers and lacquers

Color Plus is the concentrated colouring additive to be added to Tover water-based primers and lacquers. It is available in two versions: White and Antique. The first one naturally whitens light woods in order to obtain an untreated look and is particularly effective when combined with natural effect finishes; the second one gives the wood a warmer shade.




COD. CC81


100 gr



1 coat with colour Plus Bianco



2 coats with colour Plus Bianco



1 coat with colour Plus Antico



2 coats with colour Plus Antico



AGEING AND REACTIVE STAINS

Pack.



Antique

Water-based oxidizing | Aged effect

Water-based oxidizing agent to be applied on woods rich of tannin to get an aged aspect. Easy to use, it is overcoatable with water-based and urethane or natural oils. Particularly recommended to enhance brushed woods.



| Natural

| Antique

COD. DA01

m²/l
5 - 10

12 h


3 x 5 L



Bosch Vej

Water-based oxidizing agent | Aged smoked effect

Water-based oxidizing agent to be applied on woods rich of tannin to get an aged smoked aspect. Easy to use, it is overcoatable with water-based lacquers and urethane or natural oils. Particularly recommended to enhance brushed woods.



| Natural

| Bosch Vej

COD. DA11

m²/l
5 - 10

12 h

3 x 5 L

12 x 1 L



Bosch Ciair

Water-based oxidizing | Aged bleached effect

Water-based oxidizing agent to be applied on woods rich of tannin to get an aged bleached aspect. Easy to use, it is overcoatable with water-based lacquers and urethane or natural oils. Particularly recommended to whiten brushed woods.



| Natural

| Bosch Ciair

COD. DA06

m²/l
5 - 10

12 h

3 x 5 L


12 x 1 L



Fossil

Water-based | Greying agent

Oxidizing waterborne ready-to-use agent, it reacts with woods rich of tannin. The wood takes an aspect which goes from intense grey to lighter shade depending on the product concentration and the quantity of tannin. Easy to use, it is overcoatable with water-based lacquers and urethane or natural oils.



| Natural

| Fossil

COD. DA41

m²/l
5 - 7

12 h

3 x 5 L


12 x 1 L



Attivatore

Intensifying agent

Water-based product to be used as pre-treatment before the application of the greying agent Fossil to intensify the wood reaction. Particularly efficient with woods rich of tannin like oak, pine, larch, etc.



| Natural

| Fossil

| Attivatore + Fossil

COD. DA46

m²/l
5 - 7

2 - 4 h

3 x 5 L

12 x 1 L



FINISHES FOR SPORTS FLOORS.



FINISHES FOR SPORTS FLOORS

Pack.



Sportfloor Grip

Water-based two-part sealer for UV prefinished sports floors

Two-part sealer for sportive wooden floorings. Very easy-to-apply, it has been formulated to ensure a perfect adhesion of marking paints and finishing products on prefinished supports.



COD. CC41

m²/l
14 - 16



2 x (5+0,5) L



Sportfloor Base 1K

Water-based one-part sealer for unfinished sports floors

One-part sealer to be applied as first coat on large surfaces; it is easy-to-apply and to sand and does not change the original aspect of the wood. Its adhesion with successive finishing products is excellent.



COD. CC51

m²/l
10 - 12



3 x 5 L



FINISHES FOR SPORTS FLOORS

Pack.



Sportfloor Color

Water-based two-part paints for game lines and areas

Two-part paints suitable for lines and areas marking. They have both high covering and excellent adhesion properties on wooden surfaces. They are available in many standard colours.



COD. CC46

m²/l
10 - 12

4 - 6 h

4 x (2,5+0,25) L

Colour chart

Other colours on demand according to RAL colour chart



Firestop

Water-based two-part lacquer | Fire-retardant

Water-based two-part fire-retardant lacquer for application on site or industrially. Fire resistance class: C-s1 according to the EN 13501-1 European Standard, on any wooden species. Highly resistant to intense traffic, it is in compliance with the EN 14904 norm for sportive floors finishing.



COD. CE51

m²/l
N.A.

8 - 10 h

2x(5+1) L





FINISHES FOR SPORTS FLOORS

Pack.



Sportfloor Finish

Water-based two-part lacquer for wooden sports floors

Two-part lacquer certified according to EN 14904 norm for sports floors. It is very easy-to-apply on large surfaces and is particularly suitable for heavy wear and intense traffic. It also keeps the original colour of the wood unchanged.



COD. CE56

m²/l
12 - 14



4 - 5 h

2 x (5+0,5) L

CLEANING OF SPORTS FLOORS



Sportfloor Cleaner

Sanitizing detergent for sportive floors cleaning

Sportfloor Cleaner is a detergent specific for the daily cleaning of wooden sport floors. Highly concentrated, it can be used for a normal maintenance but also to remove residues of grease and shoes black marks.

COD. EA36

3 x 5 L

12 x 1 L



Sportfloor Grip&Clean

Anti-slip agent for sportive floors

Sportfloor Grip&Clean is an agent with cleaning and anti-slip properties specific for wooden sport floors. It can be used before the game to prepare the surface and during the game to clean players' shoes grip.

COD. EA41

3 x 5 L

12 x 1 L



Sportfloor Cleaner N2

Concentrated detergent for heavy dirt

Sportfloor Cleaner N2 is to be used when it is necessary to remove black marks, grease residue and impurities. It also helps to renew the antiskid properties of the surface.

COD. EA46

3 x 5 L

12 x 1 L



Sportfloor Remover

Sticky residue cleaner

Removes particularly persistent traces of dirt and sticky residues, like the ones left by adhesive tape after events, of walkable stickers used for advertising purposes or the anti-slip strips on steps and terraces.

COD. EA51

3 x 5 L

12 x 1 L



OUTDOOR FINISHES.





TREATMENT FOR DECKING

Pack.



Pro-Deck

Water-based long-lasting protection for outdoor

Water-based protection agent, it deeply penetrates into the wood and feeds it granting a typical open pore aspect. It has a water-proof action but leaves the wood breathe. Pro-Deck has got excellent UV resistance properties and offers extremely long-lasting protection even onto surfaces subject to critical climatic conditions. It is very easy-to-apply and renew, can be used in horizontal and vertical position. Pro-Deck exists in natural and coloured versions.



COD. CH22

m²/l
10 - 12

15' - 20'

Neutral

10 L

4 x 2,5 L

12 x 1 L

Coloured

4 x 2,5 L

12 x 1 L

Colour chart



Neutral - 001



Teak - 015



Grey - 022



Oil4Sun

Natural oil for exterior use

Impregnating oil specific for a deep protection of wooden floors outside (decking, terraces, swimming pools borders) in horizontal and vertical position. It is water-proof, it does not peel and it grants the wood a typical open pore aspect. It treats the wood against UV rays and the other climatic elements, slowing down the floor deterioration.



COD. CG21

m²/l
15 - 20

12 - 24 h

Neutral

4 x 2,5 L

12 x 1 L

Coloured


4 x 2,5 L

12 x 1 L

Colour chart



Neutral - 001



Teak - 015



Wengé - 020



Grey - 022



Re-Wood

Concentrated cleaner for decking

Highly concentrated decking cleaner. It removes the dirt nestled in the wood fibres and, if used in higher concentrations, also the residues of old protective treatments. Extremely effective on all types of decking, it offers the advantage of not having to sand the floor.

COD. EB11

12 x 1 L



Grey Free

Restoring solution for grey wood


Specific product for the treatment of damaged, grey and dull wood. It enables to easily remove the grey patina due to mildew and UV rays and to renew the original brightness of the wooden surface.

COD. DA16


3 x 5 L

12 x 1 L

13 x 500 ml



Before



After



PRODUCTS FOR WPC FLOORS

Pack.



WPC Cover

Protection agent for Wood Plastic Compound terraces

Water-based protection agent for WPC elements treatment (decking, terraces, etc). It protects the surfaces avoiding the absorption of oils and grease and consequent spots and marks. It improves the long-term original colour durability of WPC structures.



COD. CH16

m²/l
15 - 20

3 x 5 L

2 - 4 h

12 x 1 L


WATER-BASED FINISHES FOR OUTDOOR WOOD



Xilocolor Cerato

Impregnating water-based agent for cladding | Wax effect

Protects the wood from atmospheric agents, woodworms, fungi and harmful microorganisms. Prevents moisture rot and mold. Easy-to-apply, it dries quickly and does not flake. Easily renewed.



COD. CH02

m²/l
10 - 12


10 L

10' - 15'


4 x 2,5 L

12 x 750 ml


Colour chart



Neutral
001



Douglas
006




Light Walnut
016



Teak
015




Chestnut
009




Cherry
014



Mahogany
012




Dark Walnut
019



Wengé
020



Black Ebony
021



Dark Green
049



White
002



XILOLAK CERATO

Water-based lacquer for outdoor wood | Wax effect

It effectively protects surfaces from atmospheric agents, thus allowing them to transpire. Its filters prevent degradation and fading caused by UV rays. Its high elasticity allows the lacquer to follow the movements of the wood without getting damaged. Available glossy and matt.



COD. CH07

m²/l
10 - 12

10 L

1 - 2 h

4 x 2,5 L

12 x 1 L



ACCESSORIES FOR FINISHING

Pack.



Base for antistatic cloths

Size 55x10 cm

COD. FD03002A000

5 pcs



Antistatic cloths

50 pcs box
Size 64x29 cm

COD. FD03003A000

12 pcs



Tover brush

180x140 mm

COD. FD03004A000

12 pcs



Tover brush

70x15 mm

COD. FD04016A000

12 pcs



Oil spreader support

Support for oil spreader cloth
35 cm

COD. FD03005A000

10 pcs



Oil spreader cloth

35 cm

COD. FD03006A000

20 pcs



Double trowel

27 cm

COD. FD03013A027

25 pcs



ACCESSORIES FOR FINISHING

Pack.



Telescopic extension

Aluminium
200 cm

COD. FD03007A000

20 pcs



Omega cage handle

250 mm
Ø 45 mm

COD. FD04001A000

10 pcs



Omega Mohair roller

Spare roller for cage handle
250 mm
Ø 45 mm
6 mm hair

COD. FD04004A000

12 pcs



Omega handle

Pressure handle
250 mm
Ø 8 mm

COD. FD04003A000

10 pcs



Omega Mohair Roller

250 mm
Ø 40 mm
6 mm hair

COD. FD04005A000

12 pcs



Hola handle

Red combi cage handle
250 mm

COD. FD05001A000

10 pcs



Hola Microfibre Roller

Spare roller for cage handle
250 mm

COD. FD05004A000 (6 mm hair)
COD. FD05005A000 (10 mm hair)

12 pcs



ACCESSORIES FOR FINISHING

Pack.



Hola Roller
Complete roller for primers
250 mm

COD. FD05006A000

20 pcs



Seitz handle
Pressure handle
250 mm
Ø 8 mm

COD. FD07001A000

20 pcs



Seitz Mohair Roller
Spare roller
250 mm
4 mm hair

COD. FD07006A000

10 pcs



Seitz Microfibre roller
Spare Microfibre roller
250 mm
8 mm hair

COD. FD07005A000

10 pcs



Container
Rectangular container for lacquers
12 litres
35x25x20 cm

COD. FD07002A000

5 pcs



Bag
Polurene bag for lacquers
25 pcs/pack

COD. FD03008A000

40 pcs



CLEANING & MAINTENANCE.





WOOD FLOOR CLEANING

Pack.



Pulito Parquet
Natural soap for wood floors

Natural soap particularly suitable for the frequent cleaning of flooring floors. Thanks to its neutral pH, it cleans and refreshes the surface, respecting the wood. Formulated on natural components, it does not leave hazardous substances on the floor. Available in ready-to-use version for Cinderella kit.



COD. EA16

12 x 1 L



Pulito Parquet Ready
Ready-to-use natural soap for wooden floors

Ready-to-use natural soap particularly suitable for the frequent cleaning of wooden floors. Thanks to its neutral pH and wax content, it cleans and refreshes the surface. Formulated on natural components, it does not leave hazardous substances on the floor. Suitable with Cinderella spray mop.



COD. EA17

3 x 4 L



Deteroil
Natural soap based on coconut oil for woodfloors

Natural soap suitable for the frequent cleaning of woodfloors. Formulated on natural components, allergen and colorant free, it does not leave hazardous substances on the floor. It exists in white version for whitened wooden floors.



COD. EA06

12 x 1 L



Deteroil Bianco
Natural soap based on coconut oil for whitened wood floors

Natural soap suitable for the frequent cleaning of whitened wood floors. Formulated on natural components, allergen and colorant free, it does not leave hazardous substances on the floor.



COD. EA06

12 x 1 L

CLEANING OF STONEWARE, LAMINATE, RESIN, LVT FLOORS



Ready-Pro
Anti-static natural detergent for laminated floors

Natural ready-to-use detergent for laminated floors. Thanks to the spray, the strictly necessary quantity of product is used. Formulated on natural components, it does not leave hazardous substances on the floor. Usable with Cinderella.



COD. EA21

12 x 750 ml



Myfloor Cleaner
Highly concentrated detergent for floorings

Neutral highly concentrated detergent for the frequent cleaning of any surface. Thanks to its excellent degreasing properties, it enables to get very good results even on surfaces where the traffic is high and against greasy dirt. Usable with Cinderella.

COD. EA56

12 x 1 L



CLEANING OF STONEWARE, LAMINATE, RESIN, LVT FLOORS

Pack.



Nettardue

Concentrated detergent to renovate decking and outdoor wood

NettarDue is a concentrated detergent useful to remove the old coating on outdoor wood surfaces. It is particularly recommended for corrugated decking, it is also the right solution for smooth wood, minimizing sanding. dopo wood, in this way your wood flooring can keep its value untouched over time, without losing its thickness. Besides eliminating the dirt entering the wood pores, NettarDue creates a surface which is ready to get a further finish afterwards.

COD. EB01

12 x 1 L

ANTIBACTERIAL SANITIZING AND PROTECTIVE CLEANSERS



Sanifloor

Sanitizing detergent for floors

Concentrated sanitizing detergent for any kind of floor, based on benzalkonium chloride (classified as biocide by ECHA) and hydrogen peroxide. It can remove dirt and acts effectively against germs, bacteria (Gram+ and Gram-), fungi, algae and spores. Ideal for daily cleaning of ceramic tiles, porcelain stoneware, marble, terracotta, PVC, LVT, rubber, wood and laminate, it is also delicate on surfaces and streak-free. Suitable for pet spaces.

COD. EA66

3 x 5 L

12 x 1 L



Saniparquet

Sanitizing detergent for wooden floors

Concentrated sanitizing detergent for lacquered and oiled wood floors based on benzalkonium chloride (classified as biocide by ECHA) and hydrogen peroxide. It can remove dirt and acts effectively against germs, bacteria (Gram+ and Gram-), fungi, algae and spores. Ideal for daily cleaning, it is delicate on surfaces and streak-free. Suitable for pet spaces.

COD. EA26

12 x 1 L



Saniplus

Universal sanitizing detergent

Ready-to-use universal sanitizing detergent based on benzalkonium chloride (classified biocide by ECHA) and hydrogen peroxide. It can remove dirt and acts effectively against germs, bacteria (Gram+ and Gram-), fungi, algae and spores. Ideal for cleaning tables, worktops, furniture and handles. It is delicate on any surface, streak-free and does not need rinsing. Suitable for pet spaces.

COD. EA71

3 x 5 L

12 x 1 L



Sani Pro

Protective and regenerating product for any surface | Antibacterial action

It can regenerate dull and worn surfaces and protect them from germs and bacteria. It forms a film resistant to scratches and stains and, thanks to its silver ion content, ensures a permanent antibacterial action, as long as the applied layer is not worn. Suitable for all types of floors and furniture.



COD. EC18

12 x 1 L



Reset 4.2

Decontamination detergent based on sodium hypochlorite

Decontamination detergent based on sodium hypochlorite, highly concentrated. Developed complying with the WHO guidelines for the decontamination treatment of all washable surfaces in public and private places, even on the largest ones.

COD. EA76

3 x 5 L

12 x 1 L



CLEANSERS FOR DECKING AND WPC

Pack.



Deck-Soap

Natural soap based on coconut oil for decking

Natural soap with coconut oil for decking. It cleans the wood and nourishes it, improving the protective characteristics of the finishing. High degreasing power.

COD. EA07

12 x 1 L



Re-Wood

Concentrated cleaner for decking

Highly concentrated decking cleaner. It removes the dirt nestled in the wood fibres and, if used in higher concentrations, also the residues of old protective treatments. Extremely effective on all types of decking, it offers the advantage of not having to sand the floor.

COD. EB11

12 x 1 L



WPC Cleaner

WPC neutral detergent

WPC Cleaner is a neutral detergent specifically formulated to clean WPC surfaces. Thanks to its strong degreasing efficiency it gets the best results on high traffic areas, even if stained with grease or oil.

COD. EA61

12 x 1 L

FLOOR MAINTENANCE




Make Up

Regenerating product for laminate, LVT, vinyl and resins floors

Make-up Matt refreshes scratched and dull laminate floorings and brings them back to their initial beauty. Applied on new floors, it enhances the colour and design. It creates a protective water-proof film on the surface, resistant to abrasion. It protects the floor and improves appearance.

COD. EC21

12 x 1 L



Before

After



FLOOR MAINTENANCE

Pack.



Lux
Reviving wax for parquet

Natural waxes emulsion. It refreshes and protects dull and worn surfaces. Product for a periodical maintenance of lacquered and natural or coloured oiled parquet.

COD. EC11

12 x 1 L



Lux Matt
Refreshing wax for parquet

It refreshes dull and worn wood floorings finished with matt neutral or coloured oils or lacquers. Suitable for periodical maintenance.

COD. EC12

12 x 1 L



Lux Bianca
Reviving wax for parquet

Natural waxes emulsion. It refreshes and protects dull and worn surfaces. Product for a periodical maintenance of bleached lacquered and oiled parquet.

COD. EC11

12 x 1 L



I.R.O.
Water-proofing protective agent for oiled floors

Ready-to-use product formulated with neutral resins to grant water-proof, anti-spot and dirt properties to floors treated with oils. Lets the wood breathe.

COD. EC01

12 x 1 L



Resinal Wax
High resistance protective wax

Self-polishing wax suitable to restore scratched and worn floors. Recommended for the maintenance of lacquered parquet, linoleum, PVC and terra cotta. It creates on the surface a water-proof washable film, resistant to alcohol and wear.

COD. EC16

12 x 1 L



Rinovoil
Maintenance oil

Ready-to-use blend of oils and natural waxes for a quick and easy periodical maintenance of neutral and coloured oiled surfaces, inside and outside. It regenerates and renews dull and locally worn woods.

COD. CG31

12 x 1 L



WOOD FLOOR MAINTENANCE

Pack.



Universal Wax
Creamy wax for wooden floors

Creamy blend of pure bee and carnauba waxes. It can be used as a finishing product or for a maintenance treatment on floors, stairs and furniture. Easy to use and quick to dry, it enables to get a rich warm effect, easy to renew. The whitening version is recommended on bleached or white oiled floors. Available in neutral, walnut, yellow and white versions.

COD. ED06

12 x 1 L



Riflex B12
Water-proof emulsion of waxes and essential oils

Specific product based on natural hard waxes to protect and maintain unfinished, waxed and neutrally oiled wood, stone and terra cotta. It creates a pleasantly smooth and bright surface.

COD. ED01

12 x 1 L

10 x 500 ml

FLOOR MAINTENANCE KITS AND ACCESSORIES



Cinderella
Spray mop kit

Cinderella is the exclusive floor care system developed by Tover to preserve and protect the original beauty of a wooden floor. With Cinderella, to clean a floor becomes easy and pleasant; there is no need any longer of a heavywater bucket and thanks to the spray system, only the strictly necessary quantity of deterging solution is used for a professional result in a few minutes.

COD. EE02

1 pcs



Cleaner
Soft microfibre cloth for wood floor cleaning

cm 40

COD. EE07

30 pcs





BUILDING MATERIALS.





MYFLOOR SYSTEM

Pack.



MyFloor Resin 1K
One-part polyurethane resin

Non-yellowing and stable resin for outdoors. Used amalgamated with natural marble pebbles, it allows to create decorative coatings with draining properties.



COD. HB11



3 x 5 kg



MyFloor Stone
Selected marble pebbles

Natural marble pebbles of 1-4 mm or 4-8 mm grain size which, amalgamated with MyFloor Resin, allow to create decorative flooring. See colour chart below.

COD. HA01

40 x 25 kg

Colour chart




Bardiglio Chiaro



Bianco Zandobbio



Bianco Carrara



Bianco Verona



Breccia Pernice




Giallo Mori



Giallo Siena



Marrone Mogano



Nero Ebano



Occhialino



Rosa Corallo



Rosso Levante



Arabescato



Breccia Aurora



Marrone




Rosso Verona



Verde Alpi



Giallo Siena +
Marrone Mogano



Verde Alpi +
Bianco Carrara



RESINS AND FINISHES FOR RESIN AND CEMENTITIOUS FLOORS

Pack.



MyFloor Finish 1K
One-part aliphatic polyurethane lacquer

For the finishing and protection outdoors of resin floors and MyFloor surfaces. Available: glossy and matt



COD. CK11



3 x 5 L



Idrofloor 2K
Two-part water-based paint

For the protective treatment of MyFloor floors, resin floors such as Regin Floor, Epoxy Pav and concrete.

COD. CJ06



2 x (5+1) L



Lakfloor EP 2K
Two-part pigmented epoxy enamel

For painting concrete floors, it protects and gives a pleasant tone to not-tiled surfaces. Drive-over. RAL colours on request

COD. HE01



10 + 5 kg



Lakfloor
Consolidating anti-dust product for concrete floors

One-part polyurethane paint. Transparent or coloured, it can protect and consolidate concrete floors, avoiding the formation of dust and crumbling. It facilitates maintenance and cleaning. Suitable for garages or non-tiled spaces. RAL colours on request.

COD. CK01



3 x 5 L



Pasta Color C.O.
Coloured paste to obtain pigmented coatings

COD. DB01

1 kg



Cristal
Two-part, non-yellowing epoxy resin with very high transparency

Epoxy resin for making inserts in wooden floors, wooden stairs, furnishings. When hardened, it forms a tough clear and transparent mass. It does not yellow if exposed to light.



COD. HB26

4 + 1 kg



RESINS AND FINISHES FOR RESIN AND CEMENTITIOUS FLOORS

Pack.



R.F. Primer XPR

Two-part self-leveling epoxy primer

Additivated with quartz, it can be used to make the bottom layer of thick epoxy flooring or smoothing on cementitious subfloors. Drive-over, it supports high loads.



COD. HD01

4 + 1 kg



R.F. Epoxy PAV

Two-part finishing epoxy resin

Coloured self-leveling product for the creation of thick flooring for civil and industrial use. Excellent mechanical resistance performance to chemicals. RAL colours available.



COD. HD06

3 + 1 kg



Decover

Two-part water-based lacquer for vertical finishes

It allows to obtain a good waterproofing of the walls covered with non-woven fabric or finished with Uniqua Paint. Available matt (10 gloss).

COD. CE13

5 + 0,5 L

1 + 0,1 L





UNDERLAYS.

ewifoam[®]
PROFESSIONAL FLOOR EXPERT





EWIFOAM UNDERLAYS

Pack.

**Silenza Light Flex**
XPS acoustic layerHigh compressive strength
Thickness: 1.6 mm
Size: 20 m² (18,2 x 1,1 m)

COD. FJ01016A

Up to
19 dBUp to
14%Up to
0,05 m²/K/WUp to
1,1 mm250.000
cyclesUp to
60 kPa20 - 480 m²

3 in 1

- UNDERLAY
- FOIL
- TAPE**Silenza Light
Aquastop Flex**
Underlay with XPS + PET vapor barrierAquastop barrier 75 m
Thickness: 1.6 mm
Size: 20 m² (18,2 x 1,1 m)

COD. FJ01016C

Up to
19 dBUp to
14%

> 75 m

Up to
0,05 m²/K/WUp to
1,1 mm250.000
cyclesUp to
60 kPaUp to
1200 mm20 - 480 m²

3 in 1

- UNDERLAY
- FOIL
- TAPE**Silenza Aquastop
Rolle Flex**
Underlay with XPS + PET vapor barrierAquastop barrier 150 m
Thickness: 2 mm
Size: 15 m² (13,6 x 1,1 m)

COD. FJ01020C

Up to
19 dBUp to
14%

> 150 m

Up to
0,07 m²/K/WUp to
1,6 mm250.000
cyclesUp to
60 kPaUp to
1300 mm15 - 360 m²**Silenza Robust Smart**
XPS underlay with high thermal insulationEffectively insulates from the cold
Compensates for uneven ground
Thickness: 5 mm
Size: 5,5 m² - (4,7 x 1,18 m)

COD. FJ011150A

Up to
0,18 m²/K/WUp to
20 dBUp to
10%Up to
4,6 mm250.000
cyclesUp to
90 kPaUp to
1600 mm6 - 176 m²**Universol Objekt**
PUM+PET underlay with very high fireproof
resistanceFireproof class B s1
Aquastop barrier 75 m
Perfect for heated subfloors
Thickness: 1.8 mm
Size: 8 m² - (8 x 1 m)

COD. FJ06018B

Up to
200 kPaUp to
0,01 m²/K/W

> 75 m

Up to
20%Up to
18 dBUp to
1,5 mm250.000
cycles8 - 320 m²**Vinlay Akustik**
PUM+PET fireproof underlay for glued wood
floorFireproof class B s1
Aquastop barrier 75 m
Perfect for heated subfloors
Thickness: 2.1 mm
Size: 7 m² (7 x 1 m)

COD. FJ06021B

Up to
300 kPaUp to
21 dB

> 75 m

Up to
0,01 m²/K/WUp to
1,3 mm250.000
cyclesUp to
1300 mm7 - 280 m²



EWIFOAM UNDERLAYS

Pack.




Duogard Maxima

Sound-absorbing HDPE underlay

High compressive strength
Thickness: 2.0 mm
Size: 12.5 m² (12.5 x 1 m)

COD. FJ110204A

12,5 - 600 m²

Vinclic Classic Smart

XPSHD+PET underlay for LVT

With antislip surface
Aquistop barrier 75 m
High compressive strength
Thickness: 1.5 mm
Dimensions: 10 m² (8.5 x 1.18 m)

COD. FJ02115C


10 - 420 m²

Vinclic Objekt

PUM+PET fireproof underlay for LVT

Fireproof class B s1
Aquistop barrier 150 m
Perfect for heated subfloors
Thickness: 1.1 mm
Size: 10 m² (10 x 1 m)

COD. FJ06011B

10 - 400 m²

Nastro Alluminato 50

AQUASTOP aluminum coated tape for junction of subfloors

Height 50 mm Roll 50 m

COD. FJ26050A

96 pcs

EASYDEK FLOOR COVER



Multi Cover Premium+

Protective cover for floors and stairs

With a suction effect, waterproof and breathable.
It can be placed without using any scotch tape.

COD. FJ21025A

25 - 2000 m²

Legend



Impact sound improvement



Reflected walking sound



Compatibility of heated subfloors



Compressive strength



Dynamic compression strength



Impact stress



Subfloor leveling



Sd-value



Thermal insulation



Anti-slip surface



Fireproof in class BflS1



NORTON

 **Karbosan**

ABRASIVES.





ABRASIVE BELTS

**Aluminium oxide**

Size 750x200 mm

Code	Pack.	Grit
GF01200K024	10 pcs	24
GF01200K036	10 pcs	36
GF01200K040	10 pcs	40
GF01200K050	10 pcs	50
GF01200K060	10 pcs	60
GF01200K080	10 pcs	80
GF01200K100	10 pcs	100
GF01200K120	10 pcs	120

**Aluminium oxide R230**

Size 750x203 mm

Code	Pack.	Grit
GF01203N024	10 pcs	24
GF01203N036	10 pcs	36
GF01203N040	10 pcs	40
GF01203N050	10 pcs	50
GF01203N060	10 pcs	60
GF01203N080	10 pcs	80
GF01203N100	10 pcs	100
GF01203N120	10 pcs	120


Size 750x254 mm

Code	Pack.	Grit
GF01254N024	10 pcs	24
GF01254N036	10 pcs	36
GF01254N040	10 pcs	40
GF01254N050	10 pcs	50
GF01254N060	10 pcs	60
GF01254N080	10 pcs	80
GF01254N100	10 pcs	100
GF01254N120	10 pcs	120

**Zirconium**

Size 750x200 mm

Code	Pack.	Grit
GF21200K024	10 pcs	24
GF21200K036	10 pcs	36
GF21200K040	10 pcs	40
GF21200K050	10 pcs	50
GF21200K060	10 pcs	60
GF21200K080	10 pcs	80
GF21200K100	10 pcs	100
GF21200K120	10 pcs	120


**Zirconium R822**

Size 750x203 mm

Code	Pack.	Grit
GF21203N024	10 pcs	24
GF21203N036	10 pcs	36
GF21203N060	10 pcs	60
GF21203N100	10 pcs	100
GF21203N120	10 pcs	120



ABRASIVE BELTS



Zirconium R822

Size 750x254 mm



Code	Pack.	Grit
GF21254N024	10 pcs	24
GF21254N036	10 pcs	36
GF21254N060	10 pcs	60
GF21254N100	10 pcs	100



Ceramic RX84

Size 750x203 mm




GF41203N036	10 pcs	36
GF41203N040	10 pcs	40
GF41203N050	10 pcs	50
GF41203N060	10 pcs	60
GF41203N080	10 pcs	80
GF41203N100	10 pcs	100

Size 750x254 mm

GF41254N036	10 pcs	36
GF41254N040	10 pcs	40
GF41254N050	10 pcs	50
GF41254N060	10 pcs	60
GF41254N080	10 pcs	80
GF41254N100	10 pcs	100

SCREENS



Silicon carbide

Diam. 430 mm

TOVER SELECTION

Code	Pack.	Grit
GC61430T060	10 pcs	60
GC61430T080	10 pcs	80
GC61430T100	10 pcs	100
GC61430T120	10 pcs	120
GC61430T150	10 pcs	150
GC61430T180	10 pcs	180
GC61430T220	10 pcs	220
GC61430T240	10 pcs	240
GC61430T320	10 pcs	320



Silicon carbide Q421

Diam. 406 mm



GC61406N060	10 pcs	60
GC61406N080	10 pcs	80
GC61406N100	10 pcs	100
GC61406N120	10 pcs	120
GC61406N150	10 pcs	150
GC61406N180	10 pcs	180
GC61406N220	10 pcs	220
GC61406N240	10 pcs	240
GC61406N320	10 pcs	320

Ceramic Q955

Diam. 406 mm



GC41406N080	10 pcs	80
GC41406N100	10 pcs	100
GC41406N120	10 pcs	120
GC41406N150	10 pcs	150



PADS

Code

Pack.

Colour

**Superpad**

Diam. 430 mm / 20 mm thick

TOVER **SELECTION**

GG20430T002	5 pcs	White
GG20430T028	5 pcs	Red
GG20430T029	5 pcs	Green
GG20430T023	5 pcs	Black

Superpad

Diam. 430 mm / 20 mm thick



GG20430N002	5 pcs	White
GG20430N028	5 pcs	Red
GG20430N029	5 pcs	Green
GG20430N023	5 pcs	Black

**Slimpad**

Diam. 430 mm / 10 mm thick

TOVER **SELECTION**

GG08430T002	10 pcs	White
GG08430T036	10 pcs	Beige

PAD

Code

Pack.

Grit

**VF for Sanding**

Diam. 430 mm / 10 mm thick

Hi-Pro Agressor

Diam. 430 mm / 10 mm thick

TOVER **SELECTION**

GG10430T035	15 pcs	VF
GG20430T035	5 pcs	

**For Decking and Brushing**

Diam. 406 mm / thickness 5 mm

TOVER **SELECTION**

GG05407J023	5 pcs	40
GG05407J035	5 pcs	80

DOUBLE DISCS

Code

Pack.

Grit

**Silicon carbide**Diam. 430 mm
Hole 30 mmTOVER **SELECTION**


GB65430T016	10 pcs	16
GB65430T024	10 pcs	24
GB65430T036	10 pcs	36
GB65430T040	10 pcs	40
GB65430T060	10 pcs	60
GB65430T080	10 pcs	80
GB65430T100	10 pcs	100
GB65430T120	10 pcs	120

Silicon carbide S413/422Diam. 425 mm
Hole 30 mm

GB64425N016	10 pcs	16
GB64425N024	10 pcs	24



DOUBLE DISCS




**Silicon carbide
H425**

Diam. 425 mm
Hole 30 mm



Code	Pack.	Grit
GB65425N036	10 pcs	36
GB65425N040	10 pcs	40
GB65425N060	10 pcs	60
GB65425N080	10 pcs	80
GB65425N100	10 pcs	100
GB65425N120	10 pcs	120

DISCS



Zirconium on fiber

Diam. 180 mm
Hole 22 mm



Code	Pack.	Grit
GD24180K024	50 pcs	24
GD24180K036	50 pcs	36
GD24180K040	50 pcs	40
GD24180K050	50 pcs	50
GD24180K060	50 pcs	60
GD24180K080	50 pcs	80
GD24180K100	50 pcs	100
GD24180K120	50 pcs	120


Zirconium on cloth

Diam. 180 mm
Hole 22 mm



GD21180K024	50 pcs	24
GD21180K036	50 pcs	36
GD21180K040	50 pcs	40
GD21180K050	50 pcs	50
GD21180K060	50 pcs	60
GD21180K080	50 pcs	80
GD21180K100	50 pcs	100
GD21180K120	50 pcs	120

VELCRO DISCS



Zirconium on cloth

Diam. 125 mm



Code	Pack.	Grit
GE21125K024	50 pcs	24
GE21125K036	50 pcs	36
GE21125K040	50 pcs	40
GE21125K050	50 pcs	50
GE21125K060	50 pcs	60
GE21125K080	50 pcs	80
GE21125K100	50 pcs	100
GE21125K120	50 pcs	120

Diam. 150 mm

GE21150K024	50 pcs	24
GE21150K036	50 pcs	36
GE21150K040	50 pcs	40
GE21150K050	50 pcs	50
GE21150K060	50 pcs	60
GE21150K080	50 pcs	80
GE21150K100	50 pcs	100
GE21150K120	50 pcs	120

Diam. 180 mm

GE21180K024	50 pcs	24
GE21180K036	50 pcs	36
GE21180K040	50 pcs	40
GE21180K050	50 pcs	50
GE21180K060	50 pcs	60
GE21180K080	50 pcs	80
GE21180K100	50 pcs	100
GE21180K120	50 pcs	120



VELCRO DISCS



Zirconium on cloth

Diam. 150 mm
9 holes



Code	Pack.	Grit
GJ21150K024	50 pcs	24
GJ21150K036	50 pcs	36
GJ21150K040	50 pcs	40
GJ21150K050	50 pcs	50
GJ21150K060	50 pcs	60
GJ21150K080	50 pcs	80
GJ21150K100	50 pcs	100
GJ21150K120	50 pcs	120



Zirconium

Diam. 140 mm
Hole 30 mm



GE21140S024	30 pcs	24
GE21140S036	30 pcs	36
GE21140S040	50 pcs	40
GE21140S060	50 pcs	60
GE21140S080	50 pcs	80
GE21140S100	50 pcs	100
GE21140S120	50 pcs	120



Zirconium

Diam. 105 mm
Velcro abrasive



GE21105S040	50 pcs	40
GE21105S060	50 pcs	60
GE21105S080	50 pcs	80
GE21105S100	50 pcs	100
GE21105S120	50 pcs	120

TRIANGLES




SIAREXX 1960

Size 100x147 mm
Velcro abrasive



Code	Pack.	Grit
GI02147S150	100 pcs	150
GI02147S220	100 pcs	220

ROLLS



Silicon carbide on paper

Size 200 mm



Code	Pack.	Grit
GH63200K036	25 m	36
GH63200K040	25 m	40
GH63200K050	25 m	50
GH63200K060	25 m	60
GH63200K080	25 m	80
GH63200K100	25 m	100
GH63200K120	25 m	120



ROLLS

Silicon carbide on mixed support S413

Size 203 mm



Size 254 mm

Code	Pack.	Grit
GH64203N016	50 m	16
GH64203N020	50 m	20
GH64203N024	50 m	24
GH64203N030	50 m	30

GH64254N016	50 m	16
GH64254N024	50 m	24
GH64254N030	50 m	30

Silicon carbide on mixed support S422

Size 203 mm



Size 254 mm

GH66203N030	50 m	30
GH66203N036	50 m	36

GH66254N036	50 m	36
-------------	------	----



Silicon carbide on paper H425

Size 203 mm



Size 254 mm

GH65203N036	50 m	36
GH65203N040	50 m	40
GH65203N050	50 m	50
GH65203N060	50 m	60
GH65203N080	50 m	80
GH65203N100	50 m	100
GH65203N120	50 m	120

GH65254N036	50 m	36
GH65254N040	50 m	40
GH65254N050	50 m	50
GH65254N060	50 m	60
GH65254N080	50 m	80
GH65254N100	50 m	100
GH6520354N120	50 m	120

Zirconium on cloth

Size 200 mm



GH21200K024	25 m	24
GH21200K036	25 m	36
GH21200K040	25 m	40
GH21200K050	25 m	50
GH21200K060	25 m	60
GH21200K080	25 m	80
GH21200K100	25 m	100
GH21200K120	25 m	120



Zirconium R822


Size 203 mm



Size 254 mm

GH21203N036	50 m	36
GH21203N060	50 m	60
GH21203N100	50 m	100

GH21254N036	50 m	36
GH21254N060	50 m	60
GH21254N100	50 m	100





TOVER[®]
Your formula

 MADE
IN ITALY

