

**STRONG,  
FAST,  
GREEN.**



# CATALOGUE



Primers & Sub-floors



Adhesives & Sealants



Lacquers & Finishes



Cleaning & Maintenance



Chemical Technologies



Accessories

# **TOVER<sup>®</sup>**

*Your formula*



# TOVER WALKING THE WALK.



Our Competitors often "talk the talk" on green but at Tover we have been proudly walking the walk by powering our manufacturing machines with renewable energy sources since 2010. All of this is important yes, but it is not as important as the most important person in our business. You.

We listen to you, take on board your suggestions and only then do we formulate products in our labs that help you to work better, stronger and faster, making your working day just that little bit less stressful. All of this to ultimately improve your bottom line and getting you smiling come your financial year end. We do this by giving you unrivalled performance MS Polymers, zero solvent-based systems of adhesives and oils, and truly ground breaking self linking lacquers that are free from Isocyanates, and outperform any other product that it is possible to buy today.

Tover. We've got your back.



## Engaged in the challenge of climate changes

We have chosen to support Plant for the Planet, an international organization promoting the reforestation of the planet and the sensitization of the youngest towards environmental issues. Trees are a precious tool for capturing CO2 and combating global warming: the goal is to plant as many trees as possible, for everyone's sake. An ambitious challenge, in which we are proud to participate together with our customers.

## Certifications

Quality certifications, transparency guarantees



**PRIMERS & SUB-FLOOR PREP.**

Solvent-free primers	6
Water-based primers	6
Solvent-based primers	7
Adhesion promoters	7
Self-leveling	7

**ADHESIVES AND SEALANTS**

Two-part adhesives	10
One-part adhesives	11
Vinyl adhesives for wood	12
Restoration of old wood floors	12
Construction adhesives and sealants	12
Adhesives for resilient flooring	14
Accessories	16

**LACQUERS & FINISHES**

Water-based fillers	18
Water-based sealers	18
Water-based finishes	20
Fire-retardant lacquers	23
Solvent-based fillers	24
Solvent-based sealers	24
Solvent-based polyurethane lacquers	24
Additives, thinners and solvents	26
Oils and waxes	27
Colouring systems	30
Ageing reactive stains	33
Finishes for sports floors	34
Cleaning of sports floors	36
Treatment for decking	38
Product for WPC floors	39
Water-based finishes for outdoor wood	39
Accessories for finishing	40

**CLEANING & MAINTENANCE**

Wood floor cleaning	44
Cleaning of stoneware, laminate, resin, lvt floors	44
Antibacterial sanitizing and protective cleansers	45
Cleansers for decking and WPC	46
Floor maintenance	46
Floor maintenance kits and accessories	48
Floor cleaners	49

**SANDING MACHINE**

Sanding machine	50
Accessories for Extreme	51
Aspirators	51

**PRODUCTS A-Z**

Adesblok T19	6	Pasta Color L.O.	26
Adesol 100	12	Power Tool Pro	51
Antique	33	Primer C4	7
Attivatore	33	Primer PU-FIX 60	7
B Plus	23	Primer PU100	6
B.E. Modulator	32	Primer TS	6
Bella	21	Pro-Deck	38
Bella Natur	21	Pulito Parquet	44
Belle Epoque	31	Pulito Parquet Ready	44
Bosch Ciair	33	Quarzo Puro	7
Bosch Vej	33	Rallenty	26
C61 Plus	26	Ready-Pro	44
Cinderella	48	Reset 4.2	45
Cleaner	48	Resinal Wax	47
Color Plus	32	Restauro	12
Crema d'Olio	29	Re-Wood	46
Crema PR88	16	Riflex B12	48
Deck-Soap	46	Rinovoil	47
Deteroil	44	Rockfloor F10	7
Deteroil Bianco	44	Sani Pro	45
Diluyente P/100	26	Sanifloor	45
Diluyente P/24	26	Saniparquet	45
Diluyente RMD/91	26	Saniplus	45
Durulak DD	24	Sigil clack	12
Durulak VNF 204	23	Sigil MS	11
Eco B Plus	23	Sigil MS Nero	13
Epofill 2K	24	Soluzione S/28	26
Essenza	22	Solvente A	26
Extreme	50	Solvente S/23	26
Fast&Full EVO	18	Sportfloor Base 1K	34
Firestop	23	Sportfloor Cleaner	36
Floormac	49	Sportfloor Cleaner N2	36
Fondo Antitannino	19	Sportfloor Color	35
Fondo Isolante AL	24	Sportfloor Finish	36
Fossil	33	Sportfloor Grip&Clean	36
Full Gap	13	Sportfloor Remover	36
Gekol H20	13	Sportoor Grip	34
Gran Fondo	24	Stripcoll	16
Green Cleaner	26	Super Gold	19
Grey Free	38	Tingo Universale	32
Home Maxi	22	Tintoretto Design	28
I.R.O.	47	Tone Up	19
Idroblok 2K	6	Tovclean	16
Idroblok C3	6	Tovcol LVT Fibre+	14
Idrofondo H20	18	Tovcol MPL	15
Idrofondo Industry	32	Tovcol MS	11
Idrofondo Mito	19	Tovcol MS LVT	14
Idrolak DR97	22	Tovcol MS LVT Wall	14
Idrostucco RS/30	18	Tovcol MS Start	11
Kit Design Maker	32	Tovcol PU2C	10
L'Olio 100%	27	Tovcol PU2K	16
Lega Stucco RS/20	24	Tovcol PU2K Green	16
Lega Stucco RS/A	24	Tovcol RP	15
Lux	47	Tovcol S/E	12
Lux Bianca	47	Tovcol SR	10
Lux Matt	47	Tovcol T91	15
LVT Leveller	8	Tovcol TA EVO	10
Lympha	22	Tovcol TackiFast	15
Make Up	46	Tovcol TP2C EVO	10
Maxi Oil	29	Tovcol TP5	12
Maxima	22	Tovcol TST	15
Modostuc	18	Toverfix	7
Monolux	25	Tovstick E66	15
Notched trowel	16	Tube gun	16
MyFloor Cleaner	44	TV1 Antisilicone	26
Nano-Fix	6	Uniqua Antislip EVO	20
Natural Wood Oil	29	Uniqua Natur EVO	20
Nettardue	45	Uniqua Paint	30
Oil Linker	27	Uniqua EVO	20
Oil Pro	29	Universal Wax	48
Oil4Sun	38	Wash Pro 35	49
P.E.P.P.	7	WPC Cleaner	46
Pasta Color AW300	26	WPC Cover	39
Pasta Color C.O.	26	Xilocolor Cerato	39
Pasta Color C.O.	51	Xilolak Cerato	39



# PRIMERS & SUB-FLOOR PREP.





**SOLVENT-FREE PRIMERS**

**Pack.**



**Primer PU100**

**One-part polyurethane DPM primer | Solvent-free and quick-drying**

Low viscosity polyurethane resin-based primer, solvent-free and odourless. It can be used as a water-proofing DPM (up to 5% R.H.) and consolidating primer agent or to obtain synthetic mortars if mixed with sand. Suitable also for use on underfloor heating systems.



COD. AD16



2 x 12 kg



3 x 6 kg



**Adeblok T19**

**Two-part epoxy primer | Solvent-free**

Solvent-free two-part epoxy primer, odourless. It can be used as water-proofing DPM (up to 5% R.H.) and consolidating agent on any absorbent and non-absorbent sub-floors including ceramics tiles. If mixed with sand, it enables to make thick repairs on the sub-floor.



COD. AD01



2x (5+2,5) L



**WATER-BASED PRIMERS**



**Nano-Fix**

**Water-based surface consolidating primer**

Fast drying one-part primer in water dispersion formulated with resins composed of nanometric particles. Anti-dust, it has a consolidating action on the surface of absorbent substrates like concrete, gypsum, anhydride. It enables bonding with any type of adhesive.



COD. AB31



2 x 10 L



3 x 5 L



**Idroblok C3**

**Three-part water-proofing primer for non-absorbent sub-floors**

Epoxy solvent-free three-part primer, it perfectly bonds even on very smooth surfaces like ceramics, sandstone, marble etc. Thus it can be used to water-proof non-absorbent sub-floors promoting the glue adhesion. Recommended for areas with humidity raising.



COD. AD06



2 x 5 kg



**Idroblok 2K**

**Two-part water-based epoxy primer | Solvent free**

It can consolidate and waterproof sub-floors with high residual humidity (up to RH 5%). Odourless, solvent-free, dilutable with water. Suitable for isolating residues of old adhesives.



COD. AB36



2 x 5 kg



**Primer TS**

**One-part water-based consolidating primer**

One-part water-based primer for surface and deep consolidating of dusty, poor or damaged concrete sub-floors. Once dry, it allows bonding with any type of adhesive.



COD. AB16



2 x 12 kg


**SOLVENT-BASED PRIMERS**
**Pack.**

**Toverfix**
**One-part solvent-based polyurethane primer**

Polyurethane resin-based primer. It can be used as water-proofing DPM (up to 5% R.H.) and consolidating agent on concrete sub-floors or to obtain synthetic mortars if mixed with sand.

COD. AC26

2 x 10 L

3 x 5 L


**Primer PU-FIX 60**
**One-part solvent-based polyurethane primer | MDI-free**

High solid polyurethane MDI-free primer. It can be used as water-proofing DPM and consolidating agent and it is particularly suitable to block old-floors. Mixed with wooden dust, it can be used as a filler for big cracks.

COD. AC33

3 x 5 kg

**ADHESION PROMOTERS**

**P.E.P.P.**
**Adhesion promoter for adhesives**

Ready-to-use one-part primer to promote the anchorage of epoxy and polyurethane adhesives on pre-existing non-absorbent sub-floors like ceramic tiles, sandstone.

COD. AC11

3 x 5 L

12 x 1 L


**Primer C4**
**Water-based adhesion promoter for self-leveling compounds**

Ready-to-use one-part primer to promote the anchorage of leveling compounds on any type of sub-floor. It can be used also to promote adhesion between 2 leveling compound coats.

COD. AB11

3 x 5 L

**SELF-LEVELING**

**Rockfloor F10**
**Fiber-reinforced self-leveling compound**

Rockfloor F10 enables leveling up to 10 mm thick even on irregular concrete sub-floors before the installation of wooden flooring. It is also suitable on deformable screeds before the installation of resilient floors coverings.

COD. AA06

25 kg

1050 kg


**Quarzo Puro**
**Pure siliceous aggregate**

Quarzo Puro is a controlled granulometry quartz sand, washed, dried and selected with constant particle size. Suitable on primers to promote adhesives adhesion on concrete. Can be used to make mortars, concrete.

COD. AA11

25 kg

1050 kg



**LEVELING**

**Pack.**



**LVT Leveller**

**Ready-to-use grout smoother for LVT**

Ready-to-use grout smoother to be applied before laying a bonded or floating LVT or SPC. Easy to sand, it allows leveling (up to 2 mm) without creating thickness and sanding is possible after just 2 hours.



44 x 15 kg



90 x 5 kg

COD. AA21







# ADHESIVES & SEALANTS.





TWO-PART ADHESIVES

Pack.



**Tovcol TP2C EVO**

Two-part epoxy-polyurethane adhesive | Solvent-free

High performance epoxy-polyurethane adhesive. Suitable for bonding any species, solid, engineered and prefinished wood floors on absorbent and non-absorbent sub-floors. Excellent resistance and hardening even if a thick layer is applied, it enables to lay also on irregular sub-floors. Its high workability makes mixing and application easier and improves yield. Twin Pack System.



COD. BB51

g/m<sup>2</sup>  
900 - 1400

POT LIFE  
2 h

55 x (9+1) kg



**Tovcol TA EVO**

Two-part epoxy-polyurethane adhesive

High performance epoxy-polyurethane adhesive. Suitable for bonding any species, solid, engineered and prefinished wood floors on absorbent and non-absorbent sub-floors. Excellent resistance and hardening even if a thick layer is applied, even over irregular sub-floors. Its high workability makes mixing and application easier and improves yield. Twin Pack System.



COD. BB46

g/m<sup>2</sup>  
1000 - 1500

POT LIFE  
2 h

55 x (9+1) kg



**Tovcol PU2C**

Two-part polyurethane adhesive | Solvent-free

Two-part polyurethane adhesive, odourless and solvent-free. Suitable for laying solid and engineered wood floor on all types of sub-floors. Easy-to-apply, it enables an elastic and tough bonding. Twin Pack System.



COD. BB26

g/m<sup>2</sup>  
800 - 1300

POT LIFE  
60' - 70'

**Tovcol PU2C**

55 x (9+1) kg

90x(4,5+0,5) kg

PLUS  
POT LIFE  
90'

**Tovcol PU2C Plus**

55 x (9+1) kg



**Tovcol SR**

Two-part polyurethane adhesive for small repairs

Two-part polyurethane adhesive. Extremely quick setting. Suitable for urgent bonding and wood floor repairs on any sub-floor, it enables sanding in a very short time.



COD. BB41

g/m<sup>2</sup>  
1000 - 1400

POT LIFE  
90'

0,9 + 0,1 kg

TOVCOL SR:  
PERFECT TO  
START LAYING





# MS POLYMER ADHESIVES. STRONG - ELASTIC.



## ONE-PART ADHESIVES

Pack.



### Tovcol MS

One-part silane-modified adhesive | MS Polymer

MS polymer one-part adhesive. Holds its peak and has a long open time. Suitable to bond any wood species and any size of engineered flooring. For solid wood bonding of up to 200 mm wide boards; no need for a primer on non-absorbent and metallic sub-floors. Easy to clean and coverage of 15-16 m<sup>2</sup> per 15kg bucket.



COD. BB21

g/m<sup>2</sup>  
700 - 1200



6 - 8 h

44 x 15 kg



### Tovcol MS Start

One-part silane-modified adhesive | MS Polymer

MS polymer one-part adhesive. Holds its peak well and has a long open time. MS Start is guaranteed to bond any size and species of engineered flooring and solid boards up to 140 mm wide. Suitable for small lamellas as it does not swell. MS Start has exceptional coverage of 16-18 m<sup>2</sup> per 15kg bucket.



COD. BB56

g/m<sup>2</sup>  
700 - 1200



6 - 8 h

44 x 15 kg



### Sigil MS

Elastic sealant adhesive | MS Polymer

Sigil Ms is highly elastic and guarantees a tough bonding for any type of flooring except plastic materials. It is useable also in a vertical position for bonding stairs, profiles, skirting boards, etc. Easy to clean from hands and prefinished floors. Black Sigil MS is UV resistant and can be used as a sealer for outdoor applications.



COD. BH01

OPEN TIME  
30' - 40'



24 h

20 x 600 ml



VINYL ADHESIVES FOR WOOD

Pack.



**Tovcol S/E**

Vinyl glue for industrial pressure wood floors assembling

Poly-vinyl-acetate water based emulsion suitable for bonding wood elements like frames, panels, engineered wood floors and laminate flooring requiring a good water resistance, both indoor and outdoor. After drying the adhesive is completely transparent and has a D3 water resistance according to EN 204 standard.



COD. BA11



55 x 10 kg



9 x 5 kg

12 x 1 kg



**Tovcol TP5**

Vinyl glue for wood, floating wood floor and laminate floors

Water-based glue, solvent-free, for bonding of wooden self-locking floors and laminates. It guarantees a quick setting, and is totally transparent with water resistance to D3 class (according to DIN EN 204 standard). Suitable also for bonding small wooden parts.



COD. BA26



20 x 500 gr



RESTORATION OF OLD WOOD FLOORS



**Adesol 100**

One-part polyurethane adhesive | For repairs

One-part polyurethane adhesive, solvent-free. Its characteristic of expansion makes it particularly suitable for quick fixing and repair of wooden parts. It can be used before and after wood floor sanding. Water-resistance D4 - DIN EN 204.



COD. BB01



20 x 500 ml



**Restauro**

Elastic expanding resin

One-part odourless moisture cure resin. It is suitable to block old wooden floors, not perfectly fixed. Odourless, it does not create any discomfort to house inhabitants.



COD. AD21



3 x 3 kg



CONSTRUCTION ADHESIVES AND SEALANTS




**Sigil Clack**

Sealant for laminate and click-system flooring

Water-based sealant for click-system flooring in laminate and wood. Prevents the swelling of floor joints in areas where moisture can be high like kitchens, bathrooms etc. It hermetically seals the joints without bonding them, enabling to remove the flooring without damaging it.



COD. BG06



20 x 500 ml





CONSTRUCTION ADHESIVES AND SEALANTS

Pack.



**Sigil MS Nero**  
Black MS sealant | MS Polymer

Elastic and tough bonding on any type of support except some plastic materials in indoor and outdoor. It resists UV rays and climatic agents and can be also used for sealing joints.



COD. BH01



20 x 600 ml

**Full Gap**  
Acrylic coloured sealant

Acrylic sealant, overpaintable, silicone free, with high tack and good elasticity. It can be used for wood floor joints and cracks (perimeter joints, skirting boards, etc), wood in general and all porous materials used in the building industry.



COD. BG01




12 x 310 ml

Colour chart




White  
002



Sand Oak  
185



Grey  
022



Light Oak  
007



Doussié /  
Cherry  
014



Teak /  
Light Walnut  
015



Wengé /  
Dark Walnut  
020

**Gekol H20**  
Quick setting construction adhesive

Water-based adhesive with a very quick initial tack suitable to fix, also in vertical position, light elements like skirting boards, wooden, metallic and PVC profiles, gypsum panels, expanded polyurethane panels, PE, polystyrene on absorbent sub-floors like concrete, wood, stone, etc.



COD. BA36



12 x 310 ml

**GEKOL H20**  
**QUICK-SETTING,**  
**SOLVENT-FREE.**





# ADHESIVES FOR RESILIENT FLOORING.



## ADHESIVES FOR RESILIENT FLOORING

Pack.



### Tovcol LVT Fibre+ One-part LVT fibre-reinforced acrylic adhesive

Tovcol LVT Fibre+ is the fibre-reinforced acrylic-based solvent-free adhesive, no waiting time, suitable for LVT flooring on any type of absorbent subfloors, with quick and strong initial tack, an excellent adhesion and a perfect dimensional stability.



COD. BD21

**g/m<sup>2</sup>**  
250 - 300

44 x 12 kg

**5 - 6 h**

90 x 5 kg



### Tovcol MS LVT One-part silane-modified adhesive for LVT | MS Polymer

One-part MS adhesive for LVT, SPC, PVC, rubber and linoleum. Suitable for laying on any kind of subfloor. It is particularly resistant to dampness, water, heat, static and dynamic loads. It is perfect for commercial and industrial environments, and secure for the user as isocyanate and solvent-free.



COD. BE11

**g/m<sup>2</sup>**  
350 - 400

44 x 12 kg

**12 h**

90 x 5 kg



### Tovcol MS LVT Wall One-part MS Polymer adhesive for LVT on walls

One-part MS adhesive for LVT and SPC installation on walls, it doesn't leak and prevents the covering to slip down. It is suitable on both absorbent and non-absorbent surfaces and can be used to apply every kind of resilient and textile covering. Particularly resistant to humidity, water and heat, it is suitable for commercial and industrial environments.



COD. BE16

**g/m<sup>2</sup>**  
350 - 400

90 x 5 kg

**12 h**



ADHESIVES FOR RESILIENT FLOORING

Pack.



**Tovcol RP**

One-part acrylic adhesive for any type of resilient coverings

Solvent-free acrylic glue for bonding indoor resilient coverings on absorbent surfaces. Universal, it is suitable for PVC and vinyl, rubber, cork and textiles.



COD. BD01

g/m<sup>2</sup>  
200 - 400



44 x 15 kg



**Tovcol MPL**

One-part acrylic adhesive for any type of resilient coverings

Solvent-free high-sticky acrylic glue for bonding indoor resilient coverings on absorbent surfaces. Universal, it is suitable for PVC and vinyl, rubber, cork and textiles.



COD. BD16

g/m<sup>2</sup>  
200 - 400



44 x 15 kg



**Tovcol TST**

One-part pressure sensitive acrylic adhesive for resilient coverings

Solvent-free acrylic glue for bonding indoor resilient coverings like textiles, PVC, linoleum on absorbent and non-absorbent surfaces also in vertical position. Thanks to the permanent tack of the adhesive, the flooring can be removed without any damage.



COD. BD06

g/m<sup>2</sup>  
150 - 250



44 x 12 kg

90 x 6 kg



**Tovcol TackiFast**

One-part pressure sensitive acrylic adhesive for vinyl floorings and carpets

Tovcol TackiFast is a solvent-free non-staining polymer dispersion adhesive, designed to provide a permanently tacky film when dry. It facilitates removal and replacement of carpet tiles without application of further adhesive. Recommended for bonding carpet tiles with any type of backing like PVC, polypropylene. Suitable for laying on absorbent and non-absorbent sub-floors.



COD. BD26

g/m<sup>2</sup>  
100 - 200



90 x 5 kg



**Tovstick E66**

One-part neoprene adhesive for PVC and plastic flooring

Neoprene double buttering adhesive for bonding indoor PVC and plastic flooring on both absorbent and non-absorbent sub-floors. The glue has an immediate set.



COD. BF06

g/m<sup>2</sup>  
300



12 x 850 ml

8 x 1700 ml

7000 ml



**Tovcol T91**

Two-part epoxy-polyurethane adhesive

Two-part epoxy-polyurethane adhesive for bonding resilient floors like PVC, rubber, linoleum and textiles both indoor and outdoor on absorbent and non-absorbent sub-floors. Light brown, red, black and green colours. It can be applied in vertical position, too.



COD. BE01

g/m<sup>2</sup>  
250 - 400



55 x (9+1) kg



**ADHESIVES FOR RESILIENT FLOORING**

**Pack.**



**Tovcol PU2K**

**Two-part polyurethane adhesive for resilient flooring**

Two-part polyurethane adhesive, water and solvent-free, for indoor and outdoor installation of rubber, LVT and PVC flooring. Twin Pack System.



COD. BE06

**g/m<sup>2</sup>**  
300

**24 h**

55 x (9+1) kg



**Tovcol PU2K Green**

**Two-part polyurethane adhesive for turf**

Two-part solvent-free polyurethane adhesive for bonding of PVC and synthetic grass both indoor and outdoor on absorbent and non-absorbent sub-floors. Available green. Twin Pack System.



COD. BE06

**g/m<sup>2</sup>**  
1000-1200

**24 h**

55 x (9+1) kg

**ACCESSORIES**



**Stripcoll**

**Remover for adhesive residues**

Alcoholic cleanser to remove adhesive residues, even dry from wooden floors and laminates. It is also very efficient to remove dirt and shoes black marks on sports floors.

COD. DD46

12 x 1 L



**Tovclean**

**Hand cleaning wet-wipes**

Tovclean is a non-woven fabric (slightly abrasive on one side, soft on the other) damped with a very effective cleanser solution that eliminates all kinds of dirt. It is a practical way to clean your hands quickly without using soap and water. It effectively eliminates oils, tar, glues, paints, silicones. Removes petrol, diesel smells from hands, leaving them delicately scented. The product is enriched with natural emollients and moisturisers. Dermatologically tested.

COD. FE01011

6 x 70 pz



**Crema PR88**

**Water soluble barrier cream**

Crema PR88 is a water soluble barrier cream, with a glycerin base, which provides effective protection against a wide variety of greases, oils, lacquers, paints, polyurethane glues, PU-resins, epoxy resins, fiberglass, tar, dyes, resins, inks, graphite, gasoline, most solvents, etc.

COD. FE01012

12 x 1000 ml



**Notched trowel**

Type 5      10 mm tooth    20 cm width  
Type 6      8 mm tooth      20 cm width  
Type 2      3 mm tooth      20 cm width  
Type A2     1.4 mm tooth    18 mm width

COD. FD03

**Type 5/6/2**

12 pz

**Type A2**

10 pz



**Tube gun**

Manual gun for applying adhesives and sealants in 600 ml sausages.

COD. FD02016

1 pz





# LACQUERS & FINISHES.





**WATER-BASED FILLERS**

Pack.



**Idrostucco RS/30**

Water-based filler to be mixed with wooden dust

Odourless and quick-drying water-based resin to be mixed with wooden dust to fill wood floor scratches and joints. Easy to sand and very good filling action.



COD. CA01



3 x 5 L



12 x 500 ml

COD. CA06



**Modostuc**

Ready-to-use coloured plastic filler

Suitable for filling knots and repairing large wood cracks. High filling power and fast drying. Available colours: White, Oak, Walnut, Dark Walnut, Cherry, Teak, Beech.

COD. CA06

**WATER-BASED SEALERS**



**Idrofondo H20**

One-part water-based sealer | Natural effect

Water-based sealer recommended to keep the natural aspect and original colour of the wood. It improves the uniform absorption into the wood, making the application of lacquers easier.



COD. CC21



3 x 5 L



**Fast&Full EVO**

Water-based Self-Linking pre-lack for wood flooring | Two coat finishing

Fast&Full is the high coverage Self-Linking water-based pre-lack suitable on any wood species for a natural effect. It is easy to sand after 2 hours and allows finishing in just 2 coats with water-based Tover lacquers.



COD. CC76



3 x 5 L



**QUICK AND COVERING.**  
A GREAT RESULT.



**FAST&FULL**

The **Self-Linking** water-based sealer for wooden floors. Finishing in only **2 coats**.





**WATER-BASED SEALERS**

**Pack.**



**Idrofondo Mito**

**Two-part water-based sealer | Natural effect**

Two-part water-based sealer with an excellent covering action even on porous woods, it keeps the natural aspect of the wood. It replaces a coat of lacquer and allows finishing in just two coats.



COD. CC26



2 x (5+0,5) L



**Super Gold**

**Two-part water-based primer | Super warming effect**

Excellent covering performance and intense warming action on all wood species, especially the exotic ones. Easy-to-apply, it has a very long working time such as to minimize the risk of overlaps, allowing finishing in only two coats.



COD CC08



2 x (5+1) L



Raw wood

Super Gold



**Tone Up**

**One-part water-based sealer | Warming effect**

Water-based sealer recommended to obtain a warmer look. Particularly suitable on exotic woods.



COD. CC02



3 x 5 L



**Fondo Antitannino**

**One-part isolating primer**

Water-based impregnation pre-treatment to be used before applying whitening water-based products. Compulsory on woods rich of tannin or colouring substances like ipé, merbau, etc.



COD. CC56



3 x 5 L

12 x 1 L



# WATER-BASED FINISHES.



## WATER-BASED FINISHES

Pack.



### Uniqua EVO

One-part Self-Linking water-based lacquer | Very high traffic

Uniqua EVO is the 100% polyurethane water-based lacquer for very intense traffic. It has exceptional long-lasting protection qualities, without the addition of any hardener. Uniqua EVO guarantees excellent mechanical performances: high resistance against abrasion, scratches, black heel marks and household chemicals. Gloss scale: extra-matt, matt, semi-glossy, glossy. No primer needed.



COD. CE41

m<sup>2</sup>/l  
12 - 14

3 - 4 h

3 x 5 L



### Uniqua Natur EVO

One-part Self-Linking water-based lacquer | Invisible effect

Uniqua Natur EVO is a polyurethane Self-Linking water-based lacquer suitable on oak and light woods to achieve an invisible nude look. It has excellent resistance properties against abrasion and spots; perfectly suitable for commercial high traffic areas. Easy-to-apply in two coats without primer, isocyanate free, it guarantees a total safety during and after use. Gloss scale: extra-matt.



COD. CE41

m<sup>2</sup>/l  
12 - 14

3 - 4 h

3 x 5 L



### Uniqua Antislip EVO

One-part Self-Linking water-based lacquer | Antislip certified

Uniqua Antislip EVO is the water-based Self-Linking lacquer for wood flooring that is R10 antislip certified according to the DIN 51130 standard. Formulated to guarantee ultimate safety on stairs and all public areas; its Self-Linking curing system ensures amazingly strong resistance against abrasion and chemicals, even in the most hostile commercial environments. Gloss scale: matt.



COD. CE43

m<sup>2</sup>/l  
12 - 14

3 - 4 h

3 x 5 L



**WATER-BASED FINISHES**

Pack.



**Bella**

Two-part water-based lacquer | Isocyanate-free

Two-part water-based lacquer with good covering action, recommended for heavy traffic areas. Totally isocyanate free, the product is safer during and after the application. Particularly easy to use, it has excellent properties of resistance to households chemicals and abrasion. Gloss scale: extra-matt, matt, semi-glossy, glossy.



COD. CE61

m<sup>2</sup>/l  
12 - 14

3 - 4 h

2 x (5+0,5) L



**Bella Natur**

Two-part water-based lacquer | Isocyanate-free | Total invisible look

Nude look on light woods like oak and maple. Gloss scale: extra-matt.



COD. CE61

m<sup>2</sup>/l  
12 - 14

3 - 4 h

2 x (5+0,5) L

WE HAVE  
BEEN **READY**  
FOR YEARS.





**WATER-BASED FINISHES**

**Pack.**



**Maxima**

**Two-part water-based lacquer | Very intense traffic**

Maximum performance for extremely intense traffic environments like public places and commercial areas. Easy to use, with a long working time, it keeps the original colour of the wood, even on exotic species. Gloss scale: extra-matt, matt, semi-glossy, glossy.



COD. CE81

m<sup>2</sup>/l  
12 - 14

3 - 4 h

2 x (5+0,5) L



**Essenza**

**Two-part water-based lacquer | Total invisible look**

Essenza is the two-part water-based lacquer for a perfect nude look on light woods like oak or maple. Even if the finishing is totally invisible, the lacquer guarantees extremely high resistance to scuffing and abrasion even in the most demanding commercial environments. Gloss scale: extra-matt.



COD. CE66

m<sup>2</sup>/l  
12 - 14

3 - 4 h

2 x (5+0,5) L



**Lympha**

**Two-part water-based lacquer | Unfinished rough effect**

Lympha is the two-part water-based lacquer providing the wood with a total natural look. It creates an open pore effect like an oil treatment. Particularly easy to use, it avoids overlapping thanks to its deep penetration into the wood. Perfect on exotic wood to keep the original colour, it has an excellent resistance to abrasion, wear and household chemicals. Gloss scale: extra-matt



COD. CE31

m<sup>2</sup>/l  
12 - 14

3 - 4 h

2 x (5+0,5) L



**Idrolak DR97**

**Two-part water-based lacquer | Natural effect**

Idrolak DR97 is the two-part water-based lacquer achieving a very rich finishing keeping the original wood colour, even for exotic woods. Very easy to apply, it has a long working time and an excellent chemical and physical resistance. Gloss scale: extra-matt, matt, semi-glossy.



COD. CE21

m<sup>2</sup>/l  
10 - 12

2 - 3 h

2 x (5+0,5) L



**Home Maxi**

**One-part Self-Linking water-based lacquer**

Home Maxi is the Self-Linking lacquer for medium traffic areas. It creates a uniform aspect and in a few days it reaches a very good chemical and abrasion resistance. Perfect on exotic wood to keep the original colour. With its extra-matt version, a very natural aspect can be achieved. Gloss scale: extra-matt, matt, semi-glossy, glossy.



COD. CE06

m<sup>2</sup>/l  
10 - 12

2 - 3 h

3 x 5 L



**WATER-BASED FINISHES**



**B Plus**

**Hardener for two-part water-based lacquers and primers**

It can be used to catalyze all Tover water-based lacquers and sealers.

COD. CE58

**Pack.**

100 ml

250 ml

500 ml

1 L



**Eco B Plus**

**Isocyanate-free hardener**

It can be used to catalyse Bella, Uniqua and Natural Wood Oil.



COD. CE58

100 ml

250 ml

500 ml

**FIRE-RETARDANT LACQUERS**



**Durolak VNF 204**

**Two-part, solvent-based, fire-retardant lacquer**

Durolak VNF 204 is the high solid fire retardant lacquer for wooden floors and artefacts of all types, certified in Class 1 according to the Italian DM 6-3-1992 and the UNI 9796 standard.



COD. CF16



5 + 5 L



**Firestop**

**Two-part water-based lacquer | Fire-retardant**

Two-part water-based fire-retardant lacquer for on site or industrial application. Fire resistance class: Cfl-s1 according to the EN 13501-1 European Standard, on any wooden species. Highly resistant to intense traffic, it is in compliance with the EN 14904 standard for sportive floors finishing. Gloss scale: matt.



COD. CE51



2 x (5+1) L



**FIRESTOP.**  
FIRE RETARDANT AND  
SUITABLE FOR HIGH  
TRAFFIC.





**SOLVENT-BASED FILLERS**

**Pack.**



**Lega Stucco RS/A**  
Low odour solvent-based binder for filler

Quick-drying solvent-based resin to be mixed with wooden dust to fill wood floor scratches and joints. The product does not shrink and has excellent filling properties.

COD. CB21



2 x 10 L



3 x 5 L



**Lega Stucco RS/20**  
Solvent-based filler to be mixed with wooden dust

Quick-drying solvent-based resin to be mixed with wooden dust to fill wood floor scratches and joints. The product does not shrink and has excellent filling properties.

COD. CB06



2 x 10 L



3 x 5 L



**Epofill 2K**  
Two-part epoxy filler for repairing knots | Coloured

It penetrates deeply into the wood cracks, and is characterized by a long workability. Available in Oak, Dark Walnut and Black colours.

COD. CB31



0,75 + 0,25 kg



**SOLVENT-BASED SEALERS**



**Fondo Isolante AL**  
One-part solvent-based sealer

Alcoholic solvent-based impregnating sealer with quick-drying time. Easy-to-apply, it guarantees excellent isolating and covering properties. It can be overcoated with both solvent-based polyurethane lacquers and water-based lacquers.

COD. CD36



3 x 5 L



**Gran Fondo**  
Two-part solvent-based sealer

Solvent-based polyurethane two-part sealer with high covering properties. It quickly dries and is easy to sand. In compliance with the European standards on VOC limitations.

COD. CD26



10 + 10 L



2 x (5+5) L

**SOLVENT-BASED POLYURETHANE LACQUERS**



**Durolak DD**  
Two-part polyurethane lacquer

High solid solvent-based polyurethane two-part lacquer with good properties of application and leveling. The surface film reaches optimum values of chemical resistance combined with a high resistance to abrasion and wear. Gloss scale: semi-glossy.

COD. CF03028G



2 x (5+5) L







**SOLVENT-BASED POLYURETHANE LACQUERS**

Pack.



**Monolux**

**One-part polyurethane lacquer for high traffic**

Polyurethane moisture-curing one-part lacquer, extremely resistant to wear, transparent, suitable for intense traffic. Gloss scale: glossy.

m<sup>2</sup>/l  
10

16 h

3 x 5 L

COD. CF41





**ADDITIVES, THINNERS AND SOLVENTS**

**Pack.**

**Rallenty**

**Water-based retardant for water-based lacquers**

COD. DC06

Water-based retardant to slow down the drying time of water-based lacquers in hot or dry application conditions. It limits the risk of overlapping.

12 x 1 L

**Soluzione S/28**

**Solution for the cleaning of tools and machines**

COD. DC16

Solution for the cleaning of tools and machines used with water-based finishes. Diluted, it also enables the storage of rollers and brushes between two applications.

2 x 10 L

3 x 5 L

**C61 Plus**

**Anti-mold impregnating agent, to be used to prevent woodworm attacks**

COD. CI06

3 x 5 L

12 x 1 L

**TV1 Antisilicone**

**Anti-silicone additive**

COD. DD56

100 g

**Pasta Color AW300**

**White water-soluble pigmented paste**

COD. DA26

1 kg

**Pasta Color C.O.**

**Pigmented paste dilutable in aromatic solvents. RAL colours**

COD. DB01

1 kg

**Pasta Color L.O.**

**Pigmented paste dilutable in aliphatic solvents. Yellow, Red, White**

DB06

1 kg

**Diluyente P/24**

**Polyurethane thinner**

COD. DD11

Polyurethane thinner to be added to polyurethane primers and solvent-based PU lacquers to improve their penetration into sub-floors or make the application easier.

2 x 10 L

12 x 1 L

**Diluyente P/100**

**Thinner for Primer PU100**

COD. DD06

Odourless thinner for Primer PU100 and all polyurethane primers. It decreases a lot the primer viscosity to improve its penetration into the sub-floor.

12 x 1 L

**Diluyente RMD/91**

**Thinner for oils, waxes and hardwax oils**

COD. DD16

Slow evaporation aliphatic thinner specific to dilute oils, waxes and hardwax oils.

3 x 5 L

12 x 1 L

**Green Cleaner**

**Thinner for the dilution of oils and waxes**

COD. DD61

Slow evaporation odourless aliphatic thinner specific for the dilution of impregnating oils and waxes and the cleaning of tools and machines used with oiled based products or hardwax oils.

2 x 10 L

12 x 1 L

**Solvente A**

**Thinner for epoxy-polyurethane adhesives**

COD. DD31

High-quality solvent to dilute epoxy-polyurethane adhesives and to clean tools. It can be added to epoxy-polyurethane adhesives up to 5% to dilute them.

3 x 5 L

12 x 1 L

**Solvente S/23**

**Thinner for tools cleaning**

CO. DD36

Washing solvent to clean tools used with solvent-based lacquers.

2x10 L

3 x 5 L

12 x 1 L



# OILS AND WAXES.



## OILS AND WAXES

Pack.



### L'Olio 100% Solvent-free natural hardwax oil

L'Olio 100% is a natural product based on oils and natural hard waxes of vegetable origin. Water and solvent-free, it is 100% solid and has an extremely high coverage, to be applied in one coat only. Its wax content efficiently protects the wood and provides visual and tactile smoothness. Mixed with Oil-linker its resistance against stains and abrasion is even stronger. Gloss scale: matt.



COD. CG41



4 x 2,5 L

12 x 1 L



100 ml



### Oil-Linker Natural oil cross-linker

Oil-Linker is a cross-linker to be mixed with Tover natural oils to increase their strength properties against wear and stains. Oil-Linker enhances the links among oil molecules, achieving a higher performance.



COD CG51



250 ml

100 ml



OIL COLOUR CHART


Colour chart




Neutral 001



Light 229



White 002



Milk 256



Artic 079



Light Grey 113



Grey 022



Warm Grey 286




Smoke 081



Pearl 080




Rose 078



Rose Grey 089



Halifax 126



Stone 061



Fumé 107



Tobacco 108



Cappuccino 109



Whisky 082



Cherry 014



Mahogany 012




Teak 015



Light Walnut 016



Dark Walnut 019




Antique Walnut 018




Wengé 020




Black Ebony 021



Anthracite 087




Honey 098




Lilla 097




Green Grass 053



Moss 116



Blue Capri 054



Night Blue 115



**Tintoretto Design**  
Colouring oil base

Ready-to-use colouring oil base. It can be overcoated with Tover two-part water-based lacquers and oils. It enables to colour large surfaces without risk of overlapping. It exists in neutral and coloured versions to create endless shades.

m<sup>2</sup>/l  
30 - 40

6 - 8 h

Pack.

12 x 1 L

COD. CG47



OILS AND WAXES

Pack.



**Oil Pro**  
High resistance hardwax oil | Soft touch

Oil Pro is a highly resistant hardwax oil that successfully combines the softness of an oil with the strength of a lacquer. It penetrates deeply and creates a protection against stains, scratches and abrasion. Safe for people and the environment, it is easy to use. Unlike a traditional oil, it does not require extraordinary maintenance. Gloss scale: extra-matt, semi-glossy.



COD. CG56



4 x 2,5 L



12 x 1 L



**Maxi Oil**  
High strength hard wax oil

Maxi Oil is a high strength hard wax oil with excellent resistance against traffic and chemicals. Easy to apply. Gloss scale: glossy, semi-glossy, matt, extra-matt. Minimum quantity for a coloured version: 20 litres.



COD. CF28



4 x 2,5 L



12 x 1 L



**Crema d'Olio**  
Hardwax oil

Crema d'Olio is a finishing based on oils and natural hard waxes. Easy to apply, it guarantees seamless application on large areas. Its wax content efficiently protects the wood and provides visual and tactile smoothness. Gloss scale: semi-glossy.



COD. CG01



Neutral  
4 x 2,5 L



12 x 1 L

Coloured

12 x 1 L



**Natural Wood Oil**  
Water-based oil | Invisible look

Natural Wood Oil is a water-based oil which keeps the original wood aspect protecting the surface with an open pore imperceptible coating. It guarantees high protection performance against abrasion, scratches, black heel marks and household chemicals. Formulated with plant-origin resins, it is sustainable and secure for both people and the environment. It may be used as one-part or with a hardener for major resistance. Gloss scale: extra-matt.



COD. CH26



4 x 2,5 L



12 x 1 L

**NATURAL WOOD OIL.**  
THE REAL PLEASURE  
OF WOOD.





COLOURING SYSTEMS

Pack.



Uniqua Paint

One-part water-based Self Linking lacquer | Full painted effect

Water-based Self-Linking coloured paint recommended for very high traffic areas. It has exceptional long-lasting protection qualities with no need for a hardener. It combines an extremely easy use with excellent mechanical properties and elasticity. No need to overcoat it with an oil or a lacquer. Gloss scale: matt.

m<sup>2</sup>/l  
8 - 10

4 x 2,5 L


4 - 5 h

12 x 1 L




COD. CE41


Colour chart




Black  
260



Carrob  
266



Anthracite  
087




Traffic Grey  
277



Shadow Grey  
102



Quarz Grey  
268




Andromeda  
278



Squirrel Grey  
289



Dust Grey  
261



Silk Grey  
148



Agate Grey  
090




Beige  
030



White  
259




Light Blue  
291




Red  
111



Copper  
290



Gold  
272



Silver  
274



Cast-Iron  
319

LET'S  
COLOUR IN  
ONLY TWO  
COATS!





# COLOURING SYSTEMS.

## EXPERIENCE THE COLOUR

### COLOURING SYSTEMS

Pack.



#### Belle Epoque One-part water-based stain

One-part water-based stain for wood. It gives a distressed aspect to any species. Overcoatable with oils and lacquers. Using B.E. Modulator, it is possible to get lighter effects.



m<sup>2</sup>/l  
20

12 x 1 L

10' - 15'


100 ml

COD. CC71


Colour chart



Burnt  
297




Chocolate  
264



Antique Walnut  
019



Ash  
138



Double Smoked  
317



Teak  
015



Caramel  
166



Ocher  
262



Chestnut  
009




Sahara  
271



Dove  
135




Clay  
269



Tea Grey  
270



Green Grey  
239



Moss Grey  
263



Antique Grey  
242



COLOURING SYSTEMS

Pack.



**B.E. Modulator**  
Colour modulator for Belle Epoque stain

B.E. Modulator reduces the colour intensity of the Belle Epoque stains, to get lighter and easily reproducible shades.



COD. CC71

12 x 1 L

500 ml



**Kit Design Maker**

Kit for the creation of customized finishes with Belle Epoque stain and L'Olio 100% oil  
It contains samples of Belle Epoque and L'Olio 100% oil.

COD. CL01

1 pcs



**Tingo Universale**  
Concentrated colouring pigments

Concentrated colouring pigments to be added to any type of water or solvent-based lacquer to colour the wood. Available in oak, doussié, teak, mahogany, walnut, wengé, black, red, blue and green versions.

COD. DA21

500 ml



**Idrofondo industry**  
One-part water-based coloured primer for industrial application

Suitable for finishes with industrial systems. Its drying speed allows to complete the lacquering cycle in a short time. Available in a wide range of colours, it can be overcoated with any Tover water-based lacquer.



COD. CC21

m<sup>2</sup>/l  
15 - 25

4 x 2,5 L




**Color Plus**  
Colour additive for water-based primers and lacquers

Color Plus is the concentrated colouring additive for Tover water-based primers and lacquers. It is available in two versions: White and Antique. The first one naturally whitens light woods to obtain an untreated look and is particularly effective when combined with natural effect finishes; the second one gives the wood a warmer shade.




COD. CC81

100 gr



| 1 coat with colour Plus White

| 2 coats with colour Plus White



| 1 coat with colour Plus Antique

| 2 coats with colour PlusAntique





**AGEING REACTIVE STAINS**

**Pack.**



**Antique**

**Water-based oxidizing stain | Aged effect**

Water-based oxidizing stain to be applied on woods rich of tannin to get an aged aspect. Easy to use, it is overcoatable with water-based lacquers, natural and hardwax oils. Particularly recommended to enhance brushed woods.



| Natural

| Antique

COD. DA01

m<sup>2</sup>/l  
5 - 10

12 h


3 x 5 L



**Bosch Vej**

**Water-based oxidizing stain | Aged smoked effect**

Water-based oxidizing stain to be applied on woods rich of tannin to get an aged smoked aspect. Easy to use, it is overcoatable with water-based lacquers, natural and hardwax oils. Particularly recommended to enhance brushed woods.



| Natural

| Bosch Vej

COD. DA11

m<sup>2</sup>/l  
5 - 10

12 h

3 x 5 L

12 x 1 L



**Bosch Ciair**

**Water-based oxidizing stain | Aged bleached effect**

Water-based oxidizing stain to be applied on woods rich of tannin to get an aged bleached aspect. Easy to use, it is overcoatable with water-based lacquers, natural and hardwax oils. Particularly recommended to whiten brushed woods.



| Natural

| Bosch Ciair

COD. DA06

m<sup>2</sup>/l  
5 - 10

12 h

3 x 5 L


12 x 1 L



**Fossil**

**Water-based oxidizing stain | Greying effect**

Water-based oxidizing stain, it reacts with woods rich of tannin. The wood takes an aspect which goes from intense grey to lighter shade depending on the product concentration and the quantity of tannin. Easy to use, it is overcoatable with water-based lacquers, natural and hardwax oils.



| Natural

| Fossil

COD. DA41

m<sup>2</sup>/l  
5 - 7

12 h

3 x 5 L


12 x 1 L



**Attivatore**

**Intensifying agent**

Water-based product to be used as pre-treatment before the application of the greying agent Fossil to intensify the wood reaction. Particularly efficient with woods rich of tannin like oak.



| Natural

| Fossil

| Attivatore + Fossil

COD. DA46

m<sup>2</sup>/l  
5 - 7

2 - 4 h

3 x 5 L

12 x 1 L



# FINISHES FOR SPORTS FLOORS.



## FINISHES FOR SPORTS FLOORS

Pack.



### Sportfloor Grip

Two-part water-based sealer for UV prefinished sports floors

Two-part sealer for sportive wooden floorings. Very easy to apply, it has been formulated to ensure a perfect adhesion of marking paints and finishing products on prefinished floors.



COD. CC41

m<sup>2</sup>/l  
14 - 16

2 x (5+0,5) L



### Sportfloor Base 1K

One-part water-based sealer for unfinished sports floors

One-part sealer to be applied as first coat on large surfaces; it is easy to apply and to sand and does not change the original aspect of the wood. Its adhesion with successive finishing products is excellent.



COD. CC51

m<sup>2</sup>/l  
10 - 12

3 x 5 L





**FINISHES FOR SPORTS FLOORS**

**Pack.**



**Sportfloor Color**

Two-part water-based paint for game lines and areas

Two-part paints suitable for lines and areas marking. They have both high covering and excellent adhesion properties on wooden surfaces. Available in many colours.



COD. CC46

m<sup>2</sup>/l  
10 - 12

4 - 6 h

4 x (2,5+0,25) L

**Colour chart**

Other colours on demand according to RAL colour chart



**Firestop**

Two-part water-based lacquer | Fire-retardant

Two-part water-based fire-retardant lacquer for on site or industrial application. Fire resistance class: Cfl-s1 according to the EN 13501-1 European Standard, on any wooden species. Highly resistant to intense traffic, it is in compliance with the EN 14904 norm for sports floors finishing. Gloss scale: matt.



COD. CE51

m<sup>2</sup>/l  
N.A.

8 - 10 h

2x(5+1) L





## FINISHES FOR SPORTS FLOORS

Pack.



### Sportfloor Finish

Two-part water-based lacquer for wooden sports floors

Two-part lacquer certified according to EN 14904 standard for sports floors. It is very easy to apply on large surfaces and is particularly suitable for heavy wear and intense traffic. It also keeps the original colour of the wood unchanged.



COD. CE56

m<sup>2</sup>/l  
12 - 14



4 - 5 h

2 x (5+0,5) L

## CLEANING OF SPORTS FLOORS



### Sportfloor Cleaner

Sanitizing cleanser for sports floors

Sportfloor Cleaner is a cleanser specific for the daily cleaning of wooden sports floors. Highly concentrated, it can be used for a normal maintenance but also to remove residues of grease and shoes black marks.

COD. EA36

3 x 5 L

12 x 1 L



### Sportfloor Grip&Clean

Anti-slip agent for sports floors

Sportfloor Grip&Clean is an agent with cleaning and anti-slip properties specific for wooden sports floors. It can be used before the game to clean the players' shoe soles. Perfect for dance flooring.

COD. EA41

3 x 5 L

12 x 1 L



### Sportfloor Cleaner N2

Concentrated cleanser for heavy dirt

Sportfloor Cleaner N2 is to be used to remove black marks, grease residues and impurities. It also helps to renew the antiskid properties of the surface.

COD. EA46

3 x 5 L

12 x 1 L



### Sportfloor Remover

Sticky residue remover

Sportfloor Remover is the cleanser removing particularly persistent traces of dirt and sticky residues, like those left by adhesive tape, walkable stickers used for advertising purposes or the anti-slip strips on steps and terraces.

COD. EA51

3 x 5 L

12 x 1 L



# OUTDOOR FINISHES.





**TREATMENT FOR DECKING**



**Pro-Deck**  
Water-based long-lasting protection for outdoor

Water-based protection agent, it deeply penetrates into the wood giving a typical open pore aspect. It has a water-proof action but leaves the wood breathe. Pro-Deck has got excellent UV resistance properties and offers extremely long-lasting protection even onto surfaces subject to critical climatic conditions. It is very easy to apply and renew, can be used in horizontal and vertical position.

COD. CH22

Colour chart



Neutral - 001



Teak - 015



Grey - 022

Pack.

Neutral

10 L

4 x 2,5 L

12 x 1 L

Coloured

4 x 2,5 L

12 x 1 L

m<sup>2</sup>/l  
10 - 12

15' - 20'



**Oil4Sun**  
Natural oil for outdoor

Impregnating oil specific for a deep protection of wooden floors outdoor (decking, furniture, terraces, swimming pools borders) in horizontal and vertical position. It is water-proof, it does not peel and it gives the wood a typical open pore aspect. It treats the wood against UV rays and the other climatic elements, slowing down the wood deterioration.



COD. CG21


Colour chart



Neutral - 001



Teak - 015



Wengé - 020



Grey - 022

m<sup>2</sup>/l  
15 - 20

12 - 24 h

4 x 2,5 L

12 x 1 L



**Re-Wood**  
Concentrated cleanser for decking

Highly concentrated decking cleanser. It removes the dirt nestled in the wood fibres and, if used in higher concentration, also the residues of previous treatments.

COD. EB11

12 x 1 L



**Grey Free**  
Restoring solution for grey wood


Specific product for the treatment of damaged, grey and dull wood. It enables to easily remove the grey patina due to mildew and UV rays and to renew the original brightness of the wooden surface.

COD. DA16


3 x 5 L

12 x 1 L

13 x 500 ml



Before



After



**PRODUCT FOR WPC FLOORS**

**Pack.**



**WPC Cover**

**Protection agent for Wood Plastic Compound terraces**

Water-based protection agent for WPC elements (decking, terraces, etc). It protects the surface avoiding the absorption of oils and grease and consequent spots and marks. It improves the original colour durability of WPC structures.

COD. CH16

m<sup>2</sup>/l  
15 - 20

3 x 5 L

2 - 4 h

12 x 1 L

**WATER-BASED FINISHES FOR OUTDOOR WOOD**



**Xilocolor Cerato**

**Impregnating water-based agent for cladding | Wax effect**

Protects the wood from atmospheric agents, woodworms, fungi and harmful microorganisms. Prevents moisture rot and mold. Easy to apply, it dries quickly and does not peel. Easily renewable.

NMP/INEP  
FREE

ISOCYANATE  
FREE

COD. CH02

m<sup>2</sup>/l  
10 - 12


10 L

10' - 15'


4 x 2,5 L

12 x 1 L


Colour  
chart



Neutral  
001



Douglas  
006




Light Walnut  
016



Teak  
015




Chestnut  
009




Cherry  
014




Mahogany  
012




Dark Walnut  
019



Wengé  
020



Black Ebony  
021



Dark Green  
049



White  
002



**XILOLAK Cerato**

**Water-based lacquer for outdoor wood | Wax effect**

It effectively protects surfaces from atmospheric agents, allowing them to breathe. Its filters prevent degradation and fading caused by UV rays. It does not peel. Gloss scale: matt and glossy.

NMP/INEP  
FREE

ISOCYANATE  
FREE

COD. CH07

m<sup>2</sup>/l  
10 - 12

10 L

1 - 2 h

4 x 2,5 L

12 x 1 L



ACCESSORIES FOR FINISHING

Pack.



**Base for antistatic cloth**

Size 55x10 cm

COD. FD03002A000

5 pcs



**Antistatic cloth**

50 pcs box  
Size 64x29 cm

COD. FD03003A000

12 pcs



**Tover brush**

180x140 mm

COD. FD03004A000

12 pcs



**Tover brush**

70x15 mm

COD. FD04016A000

12 pcs



**Oil spreader support**

Support for oil spreader cloth  
35 cm

COD. FD03005A000

10 pcs



**Oil spreader cloth**

35 cm

COD. FD03006A000

20 pcs



**Double trowel**

27 cm

COD. FD03013A027

25 pcs





**ACCESSORIES FOR FINISHING**

**Pack.**



**Telescopic extension**

Aluminium  
200 cm

COD. FD03007A000

20 pcs



**Omega cage handle**

250 mm  
Ø 45 mm

COD. FD04001A000

10 pcs



**Omega Mohair roller**

Spare roller for cage handle  
250 mm  
Ø 45 mm  
6 mm hair

COD. FD04004A000

12 pcs



**Omega handle**

Pressure handle  
250 mm  
Ø 8 mm

COD. FD04003A000

10 pcs



**Omega Mohair Roller**

250 mm  
Ø 40 mm  
6 mm hair

COD. FD04005A000

12 pcs



**Hola handle**

Red combi cage handle  
250 mm

COD. FD05001A000

10 pcs



**Hola Microfibre Roller**

Spare roller for cage handle  
250 mm

COD. FD05004A000 (6 mm hair)  
COD. FD05005A000 (10 mm hair)

12 pcs



ACCESSORIES FOR FINISHING

Pack.



**Hola Roller**  
Complete roller for primers

250 mm

COD. FD05006A000

20 pcs



**Seitz handle**

Pressure handle  
250 mm  
Ø 8 mm

COD. FD07001A000

20 pcs



**Seitz Mohair Roller**

Spare roller  
250 mm  
4 mm hair

COD. FD07006A000

10 pcs



**Seitz Microfibre roller**

Spare Microfibre roller  
250 mm  
8 mm hair

COD. FD07005A000

10 pcs



**Container**

Rectangular container for lacquers  
12 litres  
35x25x20 cm

COD. FD07002A000

5 pcs



**Bag**

Polurene bag for lacquers  
25 pcs/pack

COD. FD03008A000

40 pcs



# CLEANING & MAINTENANCE.





## WOOD FLOOR CLEANING

Pack.



### Pulito Parquet

Natural soap for lacquered wood floors

Natural soap particularly suitable for the frequent cleaning of wooden floors. Thanks to its neutral pH and wax content, it cleans and refreshes the surface, respecting the wood finishing.



COD. EA16

12 x 1 L



### Pulito Parquet Ready

Ready-to-use natural soap for wood floors

Ready-to-use natural soap particularly suitable for the frequent cleaning of wooden floors. Thanks to its neutral pH and wax content, it cleans and refreshes the surface. Suitable for Cinderella spray mop.



COD. EA17

3 x 4 L



### Deteroil

Natural soap based on coconut oil for oiled wood floors

Natural soap suitable for the frequent cleaning of wood floors. Very effective, it respects and refreshes the oil finishing.



COD. EA06

12 x 1 L



### Deteroil Bianco

Natural soap based on coconut oil for whitened oiled wood floors

Natural soap suitable for the frequent cleaning of whitened wood floors. Very effective, it respects and refreshes the oil finishing.



COD. EA06

12 x 1 L

## CLEANING OF STONEWARE, LAMINATE, RESIN, LVT FLOORS



### Ready-Pro

Antistatic natural cleanser for laminate floors

Antistatic natural cleanser for laminate floors. Thanks to the spray, the strictly necessary quantity of product is used. Once dry it is streak-free.



COD. EA21

12 x 750 ml



### Myfloor Cleaner

High-concentrated cleanser for flooring

Neutral high-concentrated cleanser for the frequent cleaning of any surface. Thanks to its excellent degreasing properties, it gets very good results even on high-traffic areas and can clean greasy dirt effectively.

COD. EA56

12 x 1 L



**CLEANING OF STONEWARE, LAMINATE, RESIN, LVT FLOORS**

**Pack.**



**Nettardue**

**Concentrated cleanser to remove intense dirt**

Concentrated degreasing and de-waxing cleanser. It removes previous layers of metallized waxes from vinyl flooring, PVC, rubber and linoleum.

COD. EB01

12 x 1 L

**ANTIBACTERIAL SANITIZING AND PROTECTIVE CLEANSERS**



**Sanifloor**

**Sanitizing cleanser for floors**

Concentrated sanitizing cleanser for any kind of floor, based on benzalkonium chloride (classified as biocide by ECHA) and hydrogen peroxide. It can remove dirt and acts effectively against germs, bacteria (Gram+ and Gram-), fungi, algae and spores. Ideal for daily cleaning of ceramic tiles, porcelain stoneware, marble, terracotta, PVC, LVT, rubber, wood and laminate, it is also delicate on surfaces and streak-free. Suitable for pet spaces.

COD. EA66

3 x 5 L

12 x 1 L



**Saniparquet**

**Sanitizing cleanser for wooden floors**

Concentrated sanitizing cleanser for lacquered and oiled wood floors based on benzalkonium chloride (classified as biocide by ECHA) and hydrogen peroxide. It can remove dirt and acts effectively against germs, bacteria (Gram+ and Gram-), fungi, algae and spores. Ideal for daily cleaning, it is delicate on surfaces and streak-free. Suitable for pet spaces.

COD. EA26

12 x 1 L



**Saniplus**

**Universal sanitizing cleanser**

Ready-to-use universal sanitizing cleanser based on benzalkonium chloride (classified biocide by ECHA) and hydrogen peroxide. It can remove dirt and acts effectively against germs, bacteria (Gram+ and Gram-), fungi, algae and spores. Ideal for cleaning tables, worktops, furniture and handles. It is delicate on any surface, streak-free and does not need rinsing. Suitable for pet spaces.

COD. EA71

3 x 5 L

12 x 1 L



**Sani Pro**

**Protective and regenerating product for any surface | Antibacterial action**

It can regenerate dull and worn surfaces and protect them from germs and bacteria. It forms a film resistant to scratches and stains and, thanks to its silver ion content, ensures a permanent antibacterial action, as long as the applied layer is not worn. Suitable for all types of floors and furniture.



COD. EC18

12 x 1 L



**Reset 4.2**

**Decontamination cleanser based on sodium hypochlorite**

Decontamination cleanser based on sodium hypochlorite, highly concentrated. Developed complying with the WHO guidelines for the decontamination treatment of all washable surfaces in public and private places, even on the largest ones.

COD. EA76

3 x 5 L

12 x 1 L



## CLEANSERS FOR DECKING AND WPC

Pack.



### Deck-Soap

Natural soap based on coconut oil for decking

Natural soap with coconut oil for decking. It cleans and nourishes the wood, improving the protective characteristics of the finishing. High degreasing power.

COD. EA07

12 x 1 L



### Re-Wood

Concentrated cleanser for decking

Highly concentrated decking cleanser. It removes the dirt nestled in the wood fibres and, if used in higher concentration, also the residues of previous treatments.

COD. EB11

12 x 1 L



### WPC Cleaner

WPC neutral cleanser

WPC Cleaner is a neutral cleanser specifically formulated to clean WPC surfaces. Thanks to its strong degreasing efficiency it gets the best results on high traffic areas, even if stained with grease or oil.

COD. EA61

12 x 1 L

## FLOOR MAINTENANCE




### Make-Up

Regenerating product for laminate, LVT, vinyl and resins floors

Make-up refreshes scratched and dull laminate floorings and brings them back to their initial beauty. Applied on new floors, it enhances the colour and creates a protective water-proof film on the surface, resistant to abrasion. It protects the floor and improves appearance. Gloss scale: Matt, Glossy.

COD. EC21

12 x 1 L



Before

After



**FLOOR MAINTENANCE**

**Pack.**



**Lux**  
Reviving wax for wood floors

Natural waxes emulsion. It refreshes and protects dull and worn surfaces. Product for a periodical maintenance of lacquered and natural or coloured oiled wood floors.

COD. EC11

12 x 1 L



**Lux Matt**  
Refreshing wax for wood floors

It refreshes dull and worn wood flooring finished with matt neutral or coloured oils or lacquers. Suitable for periodical maintenance.

COD. EC12

12 x 1 L



**Lux Bianca**  
Reviving wax for whitened and bleached wood floors

Natural waxes emulsion. It refreshes and protects dull and worn surfaces. Product for a periodical maintenance of bleached lacquered and oiled wood floors.

COD. EC11

12 x 1 L



**I.R.O.**  
Water-proofing protective agent for oiled floors

Ready-to-use product formulated with neutral resins to grant water-proof, anti-spot and dirt properties to floors treated with oils. Lets the wood breathe.

COD. EC01

12 x 1 L



**Resinal Wax**  
High resistance protective wax

Self-polishing wax suitable to restore scratched and worn floors. Recommended for the maintenance of lacquered wood floors, linoleum, PVC and terra cotta. It creates on the surface a water-proof washable film, resistant to alcohol and wear.

COD. EC16

12 x 1 L



**Rinovoil**  
Maintenance oil

Ready-to-use blend of oils and natural waxes for a quick and easy periodical maintenance of neutral and coloured oiled surfaces. It regenerates and renews dull and locally worn woods.

COD. CG31

12 x 1 L



**WOOD FLOOR MAINTENANCE**

**Pack.**



**Universal Wax**  
Creamy wax for wooden floors

Creamy blend of pure bee and carnauba waxes. It can be used as a finishing product or for a maintenance treatment on floors, stairs and furniture. Easy to use and quick to dry, it enables to get a rich warm effect, easy to renew. The whitening version is recommended on bleached or white oiled floors. Available in neutral, walnut, yellow and white versions.

COD. ED06

12 x 1 L



**Riflex B12**  
Water-proof emulsion of waxes and essential oils

Product based on natural hard waxes to protect and maintain unfinished, waxed and neutrally oiled wood, stone and terra cotta. It creates a pleasantly smooth and bright surface.

COD. ED01

12 x 1 L

10 x 500 ml

**FLOOR MAINTENANCE KITS AND ACCESSORIES**



**Cinderella**  
Spray mop kit

Cinderella is the exclusive floor care system to protect the original beauty of wooden floors. With Cinderella your task becomes easy and you can get a professional result in a short time.

COD. EE02

1 pcs



**Cleaner**  
Soft microfibre cloth for wood floor cleaning

cm 40

COD. EE07

30 pcs







## FLOOR CLEANERS



### Wash Pro 35 Professional floor cleaner

It cleans deeply leaving the surface dry. For indoor and outdoor, it can be equipped with a medium brush (grey) for cleaning the wood floor and a rigid one (black) for decking and intensive treatments. Lightweight, ultra-compact and easy to carry.

#### Technical features

Body height	140 mm
Body width	285 mm
Body length	330 mm
Front brush	Ø 86 700 rpm
Rear brush	Ø 54 1145 rpm
Working width	385 mm
Working capability	500 sqm/h
Induction motor power	400W 2800 rpm
Total tank capacity	4 L
Waste tank capacity	1,8 L
Total weight (empty)	11 kg



Hard black brush for cleaning decking



Medium grey brush for cleaning wood floor indoor

Wash Pro 35  
Medium bristle grey brush set  
Hard bristle black brush set

COD. FI01350A000  
COD. FI01201A022  
COD. FI01201A023



### Floormac Floor cleaner

It thoroughly cleans floors in wood, natural stone and linoleum thanks to a disc that performs 1,450 rpm. Equipped with an anti-vibration system, it is balanced and easy to handle. Easy to carry, is equipped with a tilting handle.

#### Technical features

Max total power	290 Watt/230V
Oscillation speed	1450 rpm
Working width	33 cm
Height	25 cm
Cable length	7,5 meters
Weight with brush	13 kg

COD. FA04005A



**POWERFUL,  
RAPID,  
VERSATILE.**



## SANDING MACHINE

### Extreme

#### Sanding machine for wood floors

Variable speed sanding machine with inverter, complete with:

- Planetary disc with 4 satellites Ø 150 mm, convertible to 3
- Velcro pad holder for Pad Ø 430 mm
- 4 hard Velcro pads Ø 150 mm
- 4 soft Velcro pads Ø 150
- LED lights kit
- Additional 220V socket



#### Technical features

Max HP motor	4
Volt	220
Hz	50
Aspiration absorption W	1400
Motor speed rpm	155 - 250
Planetary speed rpm	800 - 1300
Working width mm	430
Dimensions WxHxD cm	43x127x70
Machine weight kg	77 (55+22)*
Planetary weight kg	12

#### Planetary

The counter-rotating planetary in tempered steel with 4 tool holders allows you to always obtain a smoothing and regular sanding. Easy to assemble without the use of tools, it can be modified in a planetary with three pads to increase the mechanical action of the machine. Weight 12 kg.

#### Pad holder

The pad holder for the use of abrasive pads and screens allows to obtain the maximum efficiency in sanding, oiling and washing of the floor. Equipped with the same flange as the most common sanding machines on the market. Ø 430 mm.

\*Sanding unit + carriage

COD. FA01006A000



ACCESSORIES FOR EXTREME		Tech. data	Code
 <p><b>Velcro pads</b> Backing pads for abrasive papers. They fit quickly into the tool holder of the planetary for perfect results in all conditions. Available both hard and soft. Ø 150 mm.</p>	Hard	FA01251A000	
	Soft	FA01252A000	
 <p><b>Diamond sanding pads</b> Perfect for sanding wooden floors. They can sand deeply, they last about 100 times longer than a set of abrasive papers. They don't clog up and do not lose effectiveness even in the presence of hard finishes. Great flatness on large surfaces.</p>	Ø 140 mm	FA01250A000	
 <p><b>Diamond blades for concrete</b> Diamond blades for hard concrete. They guarantee a high removal rate reducing tool consumption.</p>	Ø 140 mm Grit 20	FA01253A020	
	Ø 140 mm Grit 40	FA01253A040	
	Ø 140 mm Grit 70	FA01253A070	
	Ø 140 mm Grit 140	FA01253A140	
 <p><b>Steel brush</b> Steel brush suitable for deep brushing of wood floors on site.</p>	Ø 140 mm	FA01254A000	
 <p><b>Tynex brush</b> Tynex brush suitable for brushing wood floors on site. The use of the different grits allows to obtain a surface that is soft to the touch and without scratches.</p>	Ø 140 mm Grit 36	FA01255A036	
	Ø 140 mm Grit 70	FA01255A070	
	Ø 140 mm Grit 120	FA01255A120	
 <p><b>Additional weight</b> Easy to insert, without the use of tools.</p>	17 kg	FA01248A000	
 <p><b>Liquid tank</b> 18 lt liquid tank in shockproof ABS. Rod for delivery regulation in ergonomic position.</p>	18 L	FA01249A000	
ASPIRATORS		Tech. data	Code
 <p><b>POWER TOOL PRO</b> Aspirator equipped with a new generation high efficiency and great power motor. Equipped with the three-stage filtration system to guarantee the best performance filtering and greater engine protection. The "SHOCKING VALVE" system allows the semi-automatic cleaning of the filter and ensures an extreme duration. Supplied with socket for electrical accessory with power of max 2000 W.</p>	1250 W 36 L	FA05009A000	
	   	1450 W 50 L	FA05010A000

**TOVER<sup>®</sup>**  
*Your formula*

 **MADE  
IN ITALY**

