

CATALOGUE



Primers & Sub-floors



Adhesives & Sealants



Lacquers & Finishes



Cleaning & Maintenance



Chemical Technologies



emical Accessories







INDEX

INDEX	
PRIMERS & SUB-FLOOR	
Solvent-free primers	5
Water-based primers	5
Water-based primers	6
Solvent-based primers	6
Adhesion promotors	6
Self-leveling	7
Joint grouts	7
ADHESIVES & SEALANTS	
Two-part adhesives	9
One-part adhesives	10
Vinyl adhesives for wood	11

Two-part adhesives	9
One-part adhesives	10
Vinyl adhesives for wood	11
Restoration of old wood floors	11
Construction adhesives and sealants	11
Construction adhesives and sealants	12
Adhesives for resilient flooring	13 - 14 - 15
Accessories	15

SYNTHETIC GRASS	
Adhesives for synthetic grass	16 - 17
Cleansing for synthetic grass	17

Water-based fillers	19
Water-based sealers	20 - 21
Water-based finishes	22 - 23 - 24 -25
Fire-retardant lacquers	25
Finishes for lacquered wooden floors	26
Solvent-based fillers	27
Solvent-based sealers and lacquer	28
Additives, thinners and solvents	29
Oils and waxes	30 - 31 - 32
Colouring systems	33 - 34 - 35
Ageing and reactive stains	36
Finishes for sports floors	37 - 38
Cleaning of sports floors	39
Treatment for wood decking	41
Treatment for wpc floors	42
Water-based finishes for outdoor wood	42
Accessories for finishing	43 - 44 - 45

CLEANING & MAINTENANCE	
Wood floor and other surfaces cleaning	47
Sanitizing and protective cleansers	48
Cleansers for decking and wpc	49
Floor maintenance	50 - 51 - 52
Floor cleaners	53
Sanding machine	54
Accessories for Extreme	55
Vacuum	55

RODUCTS A-Z			
dditional weight	55	Pasta Color AW300	29
deblok T19	5	Pasta Color C.O.	29
desol 100	11	Pasta Color L.O.	29
desol Green ntique	16 36	Power Tool Pro Primer C1	55 5
ntistatic cloth	43	Primer C4	6
Plus	23	Primer PU100	5
E. Modulator	35	Primer PU-FIX 60	6
ag	45	Primer TS	6
ase for antistatic cloth ella	43 23	Pro-Deck Prontostucco RS/40	41 19
elle Epoque	33	Pulito Parquet	47
osch Ciair	36	Quarzo Puro	7
osch Vej	36	Rallenty	29
ravo	20	Ready-Pro	47
61 Plus	29 26	Resinal Wax	51
lean&Go olor Plus	35	Restauro Re-Wood	11 41
ontainer	45	Re-Wood	49
rema d'Olio	32	Riflex B12	52
rema PR88	15	Rinovoil	51
eck-Soap	49	Rockfloor F10	7
eteroil eteroil Bianco	47 47	Sani Pro Sanifloor	48 48
amond blades for concrete	55	Saniparquet	48
amond sanding pads	55	Seitz handle	45
luente P/24	29	Seitz Microfibre roller	45
luente P/100	29	Seitz Mohair roller	45
lluente RMD/91	29	Sigil Clack Sigil MS	11 10
ouble trowel urolak DD 60	43 28	Sigii ivis Smart	25
CO B Plus	23	Soluzione S/28	29
oofill 2K	27	Solvente A	29
ssenza	22	Solvente S/23	29
dreme	54	Sportfloor Base 1K	38
ast&Full restop Pro	20 25	Sportfloor Cleaner Sportfloor Cleaner N2	39 39
oormac	53	Sportfloor Color	38
ondo Antitannino	21	Sportfloor Finish	37
ondo Isolante AL	28	Sportfloor Grip	38
ossil	36	Sportfloor Grip&Play	39
ull Gap ekol H20	12 12	Sportfloor Refresh Sportfloor Remover	39 39
iardino Pulito	17	Sportfloor Skate	37
ran Fondo	28	Steel brush	55
reen_Cleaner	29	Stripcoll	15
rey Free rip&Go	41 26	Super Gold Telescopic extension	21 44
ola handle	44	Tingo Universale	35
ola Microbre roller	44	Tintoretto Design	31
ola roller	45	Tone Up	21
ome Maxi R.O.	25 51	Tovclean Tovcol LVT Fibre+	15 13
roblok 2K	5	Toycol MPL	14
roblok C3	5	Tovcol MS	10
rofondo H20	20	Tovcol MS Green	17
rofondo industry rofondo Mito	35 21	Tovcol MS LVT Tovcol MS LVT Wall	13 13
rolak DR97	23	Tovcol MS Start	10
rostucco RS/30	19	Toycol PU2C	9
t Design Maker	35	Tovcol PU2K	15
Olio 100%	30	Tovcol PU2K Green	16
ega Stucco RS/A	27	Toycol RP	14 11
ne Maker quid tank	17 55	Tovcol S/E Tovcol SR	9
JX	51	Toycol T91	14
ux Bianca	51	Tovcol TA	9
ux Matt	51	Tovcol TP2C	9
/T Leveller	7	Toycol TP5	11
/T Leveller Rimovibile /mpha	7 22	Tovcol TST Tovcol Wet&Dry	14 14
ake-Up	50	Tover brush	43
axi Oil	32	Tover brush	43
axima	22	Toverfix	6
odostuc	19	Toystick E66	14
yfloor Cleaner ano-Fix	47 5	Tube gun TV1 Antisilicone	15 29
atural Wood	25	Tynex brush	29 55
ettardue	48	Úniqua Antislip	24
otched trowel	15	Uniqua Natur	24
il Pro	32	Uniqua Paint	34
il spreader cloth il spreader support	43 43	Uniqua SQ Universal Wax	24 52
il4Sun	41	Velcro pads	55
il-Linker	30	Wash Pro	53
mega cage handle	44	WPC Cleaner	49
mega handle mega Mohair roller	44 44	WPC Cover Xilocolor Cerato	42 42
mega Mohair roller	44	Xilolak Cerata	42 42
EP.P.	6		· -
	'		









Our Competitors often "talk the talk" on green but at Tover we have been proudly walking the walk by powering our manufacturing machines with renewable energy sources since 2010. All of this is important yes, but it is not as important as the most important person in our business. You.

We listen to you, take on board your suggestions and only then do we formulate products in our labs that help you to work better, stronger and faster, making your working day just that little bit less stressful. We power our production processes with a 175 kW photovoltaic system, which allows us to save approximately 53 tons of CO2 per year, the equivalent of 2.400 trees. All of this to ultimately improve your bottom line and getting you smiling come your financial year end. We do this by giving you unrivalled performance MS Polymers, zero solvent-based systems of adhesives and oils, and truly ground breaking self linking lacquers that are free from Isocyanates, and outperform any other product that it is possible to buy today.

Tover. We've got your back.



Engaged in the challenge of climate changes

We have chosen to support Plant for the Planet, an international organization promoting the reforestation of the planet and the sensitization of the youngest towards environmental issues. Trees are a precious tool for capturing CO2 and combating global warming: the goal is to plant as many trees as possible, for everyone's sake. An ambitious challenge, in which we are proud to participate together with our customers.







Safe products, recycled plastic packaging

We work to minimize the environmental impact of our products. We are committed to ensuring that our solutions are effective and, at the same time, respectful of the planet.

Our adhesives are EC1 and EC1 Plus certified, guaranteeing their very low emissions of volatile organic compounds (VOC), a fundamental condition for the safety of those who use them every day on construction sites.





Furthermore, our finishes are EN 71-3 certified: so safe that they could even be used on children's toys.



The commitment to sustainability is rooted in our history and guides all our choices:

- In 2012, we achieved a pioneering milestone: we were the first to produce a two-component lacquer isocyanate-free.
- Since the 1990s, we decided to reduce solvents in our products, which we have cut from
- Starting in 2024, all our products are packed in recycled plastic. This represents another significant step towards a circular economy, reducing the amount of virgin plastic produced and contributing to a more sustainable management of resources.









CERTIFICATIONS

Quality certifications, transparency guarantees




































Toverfix One-part solvent-based polyurethane primer Polyurethane resin-based primer. It can be used as water-proofing DPM (up to 5% R.H.) and consolidating agent on concrete sub-floors or to obtain synthetic mortars if mixed with sand. 2 x 10 L 2 x 10 L 3 x 5 L Primer PU-FIX 60 One-part solvent-based polyurethane primer MDI-free High solid polyurethane MDI-free primer. It can be used as water-proofing DPM and consolidating agent and it is particularly suitable to block old-floors. Mixed with wooden dust, it can be used as a filler for big cracks. 3 x 5 kg	OLVENT-B	SASED PRIMERS		Pack.
Primer PU-FIX 60 One-part solvent-based polyurethane primer MDI-free High solid polyurethane MDI-free primer. It can be used as water-proofing DPM and consolidating agent and it is particularly suitable to block old-floors. Mixed	TOVERFIX	One-part solvent-based polyurethane primer Polyurethane resin-based primer. It can be used as water-proofing DPM (up to 5%	11111	2 x 10 L
Primer PU-FIX 60 One-part solvent-based polyurethane primer MDI-free High solid polyurethane MDI-free primer. It can be used as water-proofing DPM and consolidating agent and it is particularly suitable to block old-floors. Mixed	URR 4		8 h	3 x 5 L
One-part solvent-based polyurethane primer MDI-free High solid polyurethane MDI-free primer. It can be used as water-proofing DPM and consolidating agent and it is particularly suitable to block old-floors. Mixed		COD. AC26		
and consolidating agent and it is particularly suitable to block old-floors. Mixed			m²/I	
	PRIMER PU-FIX/60	and consolidating agent and it is particularly suitable to block old-floors. Mixed	3-5	3 x 5 ka
		FREE COD. AC33		

DHESION	PROMOTERS		Pack.
P.EP.R.	P.EP.P. Solvent-based primers for adhesives Ready-to-use one-part primer to promote the anchorage of epoxy and polyurethane adhesives on pre-existing non-absorbent sub-floors like ceramic tiles, sandstone.	m ² / l 25 - 35	3 x 5 L
《 海中田丰作	ISOCYANATE FREE	5'-10'	12 x 1 L
PRIMER C4	Primer C4 Water-based adhesion promoter for self-leveling compounds Ready-to-use one-part primer to promote the anchorage of leveling compounds on any type of sub-floor. It can be used also to promote adhesion between 2 leveling compound coats.	m ² / l 5 - 10	3 x 5 L
TOVER LANCE	SOLVENT SOCYANATE FREE COD. AB11		












TWO-PART ADHESIVES





High performance epoxy-polyurethane adhesive. Suitable for bonding any species, solid, engineered and prefinished wood floors on absorbent and nonabsorbent sub-floors. Excellent resistance and hardening even if a thick layer is



(9,9+1,1) kg

Pack.

BHISGIONS DANS LIVE PRETEIRIUR:

A+

SOLVENT
FREE

SOCYAMATE
FREE









COD. BB51

Tovcol TA



Two-part epoxy-polyurethane adhesive | Solvent-free High performance epoxy-polyurethane adhesive. Suitable for bonding any species, solid, engineered and prefinished wood floors on absorbent and non-absorbent sub-floors. Excellent resistance and hardening even if a thick layer is applied, even over irregular sub-floors. Its high workability makes mixing and application easier and improves yield. Twin Pack System.



(9,9+1,1) kg









COD, BB46

Tovcol PU2C



Two-part polyurethane adhesive | Solvent-free

Two-part polyurethane adhesive, odourless and solvent-free. Suitable for laying solid and engineered wood floor on all types of sub-floors. Easy-to-apply, it enables an elastic and tough bonding. Twin Pack System.



55 x (9,9+1,1) kg





Tovcol PU2C PLUS

(4,5+0,5) kg

Tovcol PU2C

(9,9+1,1) kg







COD. BB26

Toycol SR



Two-part polyurethane adhesive for small repairs | Solvent-free

Two-part polyurethane adhesive. Extremely quick setting. Suitable for urgent bonding and wood floor repairs on any sub-floor, it enables sanding in a very short time.



10 x (0,9+0,1) kg





COD. BB41





Pack.



ONE-PART ADHESIVES



One-part silane-modified adhesive | MS Polymer MS polymer one-part adhesive. Holds its peak and has a long open time. Suitable

to bond any wood species and any size of engineered flooring. For solid wood bonding of up to 200 mm wide boards; no need for a primer on non-absorbent and metallic sub-floors. Easy to clean and coverage of 15-16 m per 15kg bucket.











Packed into aluminium bags of 7,5 kg

44 x 15 kg

20 x 600 ml

Pack.

44 x 15 kg

Tovcol MS Start



MS polymer one-part adhesive. Holds its peak well and has a long open time. MS Start is guaranteed to bond any size and species of engineered flooring and solid boards up to 140 mm wide. Suitable for small lamellas as it does not swell. MS Start has exceptional coverage of 16-18 m per 15kg bucket.











COD BR56

COD, BB21

Elastic sealant adhesive | MS Polymer

Sigil Ms is highly elastic and guarantees a tough bonding for any type of flooring except plastic materials. It is useable also in a vertical position for bonding stairs, profiles, skirting boards, etc. Easy to clean from hands and prefinished floors.













COD. BH01



VINYL ADHESIVES FOR WOOD

Vinyl glue for industrial pressure wood floors assembling

Poly-vinyl-acetate water-based emulsion suitable for bonding wood elements like frames, panels, engineered wood floors and laminate flooring requiring a good water resistance, both indoor and outdoor. After drying the adhesive is completely transparent and has a D3 water resistance according to EN 204 standard.



9 x 5 kg

A+ SOLVENT FREE FREE

COD. BA11

Toycol TP5

Vinyl glue for wood, floating wood floor and laminate floors

Water-based glue, solvent-free, for bonding of wooden self-locking floors and laminates. It guarantees a quick setting, and is totally transparent with water resistance to D3 class (according to DIN EN 204 standard). Suitable also for bonding small wooden parts.







COD. BA26



20 x 500 ml

Pack.

20 x 500 ml

RESTORATION OF OLD WOOD FLOORS

Adesol 100

One-part polyurethane adhesive | For repairs

One-part polyurethane adhesive, solvent-free. Its characteristic of expansion makes it particularly suitable for quick fixing and repair of wooden parts. It can be used before and after wood floor sanding.





COD, BB01

Restauro

FREE

Elastic expanding resin

One-part odourless moisture cure resin. It is suitable to block old wooden floors, not perfectly fixed. Odourless, it does not create any discomfort to house




3 x 3 kg



COD AD21

CONSTRUCTION ADHESIVES AND SEALANTS

Sigil Clack




Water-based sealant for click-system flooring in laminate and wood. Prevents the swelling of floor joints in areas where moisture can be high like kitchens, bathrooms etc. It hermetically seals the joints without bonding them, enabling to remove the flooring without damaging it.












20 x 500 ml

Pack.





Gekol H20


Quick setting construction adhesive

Water-based adhesive with a very quick initial tack suitable to fix, also in vertical position, light elements like skirting boards, wooden, metallic and PVC profiles, gypsum panels, expanded polyurethane panels, PE, polystyrene on absorbent sub-floors like concrete, wood, stone, etc.






24 x 310 ml







ADHESIVES FOR RESILIENT FLOORING

Pack.

Tovcol RP

One-part acrylic adhesive for any type of resilient coverings

Solvent-free acrylic glue for bonding indoor resilient coverings on absorbent surfaces. Universal, it is suitable for PVC and vinyl, rubber, cork and textiles.



90 x 7 kg

44 x 15 kg





EMISSIONS DANS UNE INTERIEUR A+ A B C SOLVABATE FREE







COD. BD01

Tovcol MPL

One-part acrylic adhesive for any type of resilient coverings

Solvent-free high-sticky acrylic glue for bonding indoor resilient coverings on absorbent surfaces. Universal, it is suitable for PVC and vinyl, rubber, cork and textiles.



44 x 15 kg









COD. BD16

COD. BD06

Tovcol TST

One-part pressure sensitive acrylic adhesive for resilient coverings

Solvent-free acrylic glue for bonding indoor resilient coverings like textiles, PVC, linoleum on absorbent and non-absorbent surfaces also in vertical position Thanks to the permanent tack of the adhesive, the flooring can be removed without any





90 x 6 kg









Tovcol Wet&Dry

Universal adhesive for resilient and textile floors

Suitable for indoor bonding of all resilient and textile floors. Permanent bonding if laid with still fresh adhesive (waiting time 10' - 20'); permanent stickiness if laid on partially dry, still sticky adhesive.



90 x 6 kg



44 x 12 kg









COD BD31

Toystick E66

One-part neoprene adhesive for PVC and plastic flooring

Neoprene double buttering adhesive for bonding indoor PVC and plastic flooring on both absorbent and non-absorbent sub-floors. The glue has an immediate set.





5000 ml

55 x (9,9+1,1) kg

850 ml



EMISSIONS DANS L'AR INTÉRIEUR: SOCYANATE FREE **Toycol T91**

Two-part epoxy-polyurethane adhesive

Two-part expoxy-polyurethane adhesive for bonding resilient floors like PVC, rubber, linoleum and textiles both indoor and outdoor on absorbent and nonabsorbent sub-floors. Light brown, red, black and green colours. It can be applied in vertical position, too. Twin Pack System.













COD BEO1

COD, BD06

ADHESIVES FOR RESILIENT FLOORING

Pack.

Tovcol PU2K

Two-part polyurethane adhesive for resilient flooring

Two-part polyurethane adhesive, water and solvent-free, for indoor and outdoor installation of rubber, LVT and PVC flooring. Twin Pack System.



55 x (9,9+1,1) kg

Pack.

12 x 1 L

6 x 70 pcs

12 x 1000 ml

Type 5 / 6 / 2

12 pcs

Type A2

10 pcs

1 pc



COD. BE06

ACCESSORIES

er de

Stripcoll Remover for adhesive residues

Alcoholic cleanser to remove adhesive residues, even dry from wooden floors and laminates. It is also very efficient to remove dirt and shoes black marks on sports

COD. DD46

Tovclean

Hand cleaning wet-wipes

Tovclean is a non-woven fabric (slightly abrasive on one side, soft on the other) damped with a very effective cleanser solution that eliminates all kinds of dirt. It is a practical way to clean your hands quickly without using soap and water. It effectively eliminates oils, tar, glues, paints, silicones. Removes petrol, diesel smells from hands, leaving them delicately scented. The product is enriched with natural emollients and moisturisers. Dermatologically tested.

pr 88

Crema PR88

Tube gun

Water soluble barrier cream

Crema PR88 is a water soluble barrier cream, with a glycerin base, which provides effective protection against a wide variety of greases, oils, lacquers, paints, polyurethane glues, PU-resins, epoxy resins, berglass, tar, dyes, resins, inks, graphite, gasoline, most solvents, etc.

COD. FE01012

Notched trowel



Type 5 10 mm tooth 20 cm width Type 6 8 mm tooth 20 cm width Type 2 20 cm width 3 mm tooth Type A2 1.4 mm tooth 18 mm width

COD. FD03011

Manual gun for applying adhesives and sealants in 600 ml sausages.

COD. FD02016









ADHESIVES FOR SYNTHETIC GRASS

Pack.

Tovcol PU2K Green

Two-part polyurethane adhesive for turf

Two-part solvent-free polyurethane adhesive for bonding of PVC and synthetic grass both indoor and outdoor on absorbent and non-absorbent sub-floors. Available green. Twin Pack System.



55 x (9,9+1,1) kg



Adesol Green

Polyurethane adhesive for synthetic grass

It allows the gluing of the joint strips between the synthetic grass sheets in residential areas, both indoor and outdoor. Its high adhesion characteristics make it extremely resistant. Also suitable for small repairs. Solvent-free.



20 x 500 ml



COD. BE31





Pack.

Tovcol MS Green

One-part MS polymer adhesive for synthetic grass

Perfect for bonding synthetic grass in decorative applications. Also suitable for small repairs. Easy to apply, water and solvent-free.



12 x 5 kg

12 x 290 ml







COD. CJ16

Line Maker

Water-based lacquer for natural and synthetic grass play areas

Suitable for indoor and outdoor playing fields, it is characterised by high coverage and a final matt and natural appearance.



44 x 15 kg 60 x 7,5 kg



COD. CJ16

CLEANSING FOR SYNTHETIC GRASS

ISOCYANATE FREE

Giardino Pulito Concentrated cleaner for synthetic grass

Fast-acting concentrated cleaner for synthetic lawns, thoroughly cleans and regenerates the appearance of the grass. Formulated to guarantee long-lasting results. Also suitable if pets are present.

12 x 1 L 3 x 5 L

Pack.

COD. EA46














TOVER*



FAST&FULL





Idrofondo H20 One-part water-based sealer | Natural effect

Water-based sealer recommended to keep the natural aspect and original colour of the wood. It improves the uniform absorption into the wood, making the application of lacquers easier.



3 x 5 L

3 x 5 L

3 x 5 L

Pack.

A+ A B C

FREE FREE

COD CC21

Fast&Full

Water-based Self-Linking pre-lack for wood flooring | Two coat finishing Fast&Full is the high coverage Self-Linking water-based pre-lack suitable on



any wood species for a natural effect. It is easy to sand after 2 hours and allows finishing in just 2 coats with water-based Tover lacquers.



INDICATE DATA BY A B C SOCYAMATE FREE

COD. CC76

Bravo

One-part water-based sealer | Easy to apply

One-part easy to apply water-based sealer. Formulated to get optimal application and sandability. Ideal for all wood species, including exotic ones. Natural effect.








ÉMISSIONS DANS L'AIR INVENTION.

A+ A B C

COD, CC91



20



A+ FREE FREE LOW VOC

Fondo Antitannino One-part isolating primer

Water-based impregnation pre-treatment to be used before applying whitening water-based products. Compulsory on woods rich of tannin or colouring substances like ipé, merbau, etc.



COD. CCO2

COD. CC56

3 x 5 L

12 x 1 L







WATER-BASED FINISHES




Two-part water-based lacquer | Very intense traffic

Maximum performance for extremely intense traffic environments like public places and commercial areas. Easy to use, with a long working time, it keeps the original colour of the wood, even on exotic species. Gloss scale: extra-matt, matt, semi-glossy, glossy.







Essenza is the two-part water-based lacquer for a perfect nude look on light woods like oak or maple. Even if the finishing is totally invisible, the lacquer guarantees extremely high resistance to scuffing and abrasion even in the most demanding commercial environments. Gloss scale: extra-matt.





Two-part water-based lacquer | Unfinished rough effect Lympha is the two-part water-based lacquer providing the wood with a total

natural look. It creates an open pore effect like an oil treatment. Particularly easy to use, it avoids overlapping thanks to its deep penetration into the wood. Perfect on exotic wood to keep the original colour, it has an excellent resistance to abrasion, wear and household chemicals. Gloss scale: extra-matt.








COD. CE66

COD. CE81






Pack.

2 x (5+0,5) L

2 x (5+0,5) L










COD CE62


FREE



















TOVER




















it guarantees excellent isolating and covering properties. It can be overcoated with both solvent-based polyurethane lacquers and water-based lacquers.	m ² / I 10-12 3 x 5 L
Gran Fondo Two-part solvent-based sealer Solvent-based polyurethane two-part sealer with high covering properties. It quickly dries and is easy to sand. In compliance with the European standards on VOC limitations.	m ² /l 10 + 10 L
COD. CD26	2 x (5+5) L

SOLVENT-B	ASED POLYURETHANE LACQUERS	_	Pack.
DUNICLA DUNICLAK DO & S	Durolak DD 60 Two-part polyurethane lacquer High solid solvent-based polyurethane two-part lacquer with good properties of application and leveling. The surface film reaches optimum values of chemical resistance combined with a high strength to abrasion and wear. Gloss scale: semi-glossy.	m ² /l 10 - 12	2 x (5+5) L


ADDITIVES, THINNERS AND SOLVENTS		Pack.
Rallenty		
Water-based retardant for water-based lacquers		12 x 1 L
Water-based retardant to slow down the drying time of water-based lacquers in hot or dry application conditions. It limits the risk of overlapping.	COD. DC06	
Solutione S/28 Solution for the cleaning of tools and machines		2 x 10 L
Solution for the cleaning of tools and machines used with water-based finishes. Diluted, it also enables		3 x 5 L
the storage of rollers and brushes between two applications.	COD. DC16	
C61 Plus		3 x 5 L
Anti-mold impregnating agent, to be used to prevent woodworm attacks		12 x 1 L
	COD. Cl06	
TV1 Antisilicone		
Anti-silicone additive		100 g
	COD. DD56	
Pasta Color AW300		
White water-soluble pigmented paste		1 kg
	COD. DA26	
Pasta Color C.O.		
Pigmented paste dilutable in aromatic solvents. RAL colours		1 kg
	COD. DB01	
Pasta Color L.O.		
Pigmented paste dilutable in aliphatic solvents. Yellow, Red, White		1 kg
	COD. DB06	
Diluente P/24 Polyurethane thinner		2 x 10 L
Polyurethane thinner to be added to polyurethane primers and solvent-based PU lacquers to		12 x 1 L
improve their penetration into sub-floors or make the application easier.	COD. DD11	
Diluente P/100		
Thinner for Primer PU100 Odourless thinner for Primer PU100 and all polyurethane primers. It decreases a lot the primer		12 x 1 L
viscosity to improve its penetration into the sub-floor.	COD. DD06	
Diluente RMD/91		3 x 5 L
Thinner for oils, waxes and hardwax oils		12 x 1 L
Slow evaporation aliphatic thinner specific to dilute oils, waxes and hardwax oils.	COD. DD16	
Green Cleaner Thinner for the dilution of oils and waxes		2 x 10 L
Slow evaporation odourless aliphatic thinner specific for the dilution of impregnating oils and waxes and the cleaning of tools and machines used with oiled based products or hardwax oils.	COD. DD61	12 x 1 L
Solvente A		3 x 5 L
Thinner for epoxy-polyurethane adhesives High-quality solvent to dilute epoxy-polyurethane adhesives and to clean tools. It can be added to		12 x 1 L
epoxy-polyurethane adhesives up to 5% to dilute them.	COD. DD31	14 A I L
Solvente S/23		2 x 10 L
Thinner for tools cleaning Washing solvent to clean tools used with solvent-based lacquers.		3 x 5 L 12 x 1 L


















COD. CG51





OILS AND WAXES

Pack.

OIL PRO

MAXI OIL

CREMA D'OLIO

Oil Pro

High resistance hardwax oil | Soft touch

Oil Pro is a highly resistant hardwax oil that successfully combines the softness of an oil with the strength of a lacquer. It penetrates deeply and creates a protection against stains, scratches and abrasion. Safe for people and the environment, it is easy to use. Unlike a traditional oil, it does not require extraordinary maintenance. Gloss scale: extra-matt, semi-glossy.



12 x 1 L

4 x 2,5 L





High strength hardwax oil

Maxi Oil is a high strength hardwax oil with excellent resistance against traffic and chemicals. Easy to apply. Gloss scale: extra-matt, matt, semi-glossy, glossy. Minimum quantity for a coloured version: 20 litres.



4 x 2,5 L



12 x 1 L

COD. CF28

COD. CG56

Crema d'Olio Natural hardwax oil

Crema d'Olio is a high yield, easy to use hardwax oil for an open pore aspect. It deeply penetrates into the wood, nourishing it; its wax content effectively protects the surface, giving a soft appearance and touch.



4 x 2,5 L




12 x 1 L



COD. CG01









Pack.

12 x 1 L

500 ml

1 pc

500 ml

White

100 gr

Antique

100 gr

COLOURING SYSTEMS

Pack.

4 x 2,5 L

12 x 1 L

UNIQUA PAINT

Uniqua Paint

One-part water-based Self Linking lacquer | Full painted effect

Water-based Self-Linking coloured paint recommended for very high traffic areas. It has exceptional long-lasting protection qualities with no need for a hardener. It combines an extremely easy use with excellent mechanical properties and elasticity. Gloss scale: matt.



METALLIC COLOURS



4 x 2,5 L

12 x 1 L



Quarz Grey

030

LET'S

COLOUR IN





266



COD. CE41





Black 260

Squirrel Grey 289







Silk Grey 148



278



Andromeda









NDUSTRY 272



COLOURING SYSTEMS

B.E. Modulator

Colour modulator for Belle Epoque stain

It contains samples of Belle Epoque and L'Olio 100% oil.

lighter and easily reproducible shades.

Kit Design Maker

stain and L'Olio 100% oil

Tingo Universale

Concentrated colouring pigments

Walnut, Wengé, Black, Red, Blue and Green versions.

B.E. Modulator reduces the colour intensity of the Belle Epoque stains, to get

Kit for the creation of customized finishes with Belle Epoque

Idrofondo industry

One-part water-based coloured primer for industrial application

Concentrated colouring pigments to be added to any type of water or solvent-

based lacquer to colour the wood. Available in Oak, Doussié, Teak, Mahogany,

Suitable for industrial application. Its drying speed allows to complete the lacquering cycle in a short time. Available in a wide range of colours, it can be overcoated with any Tover water-based lacquer.



4 x 2,5 L



















Colour additive for water-based primers and lacquers

Color Plus is the concentrated colouring additive for Tover water-based primers and lacquers. It is available in two versions: White and Antique. The first one naturally whitens light woods to obtain an untreated look and is particularly effective when combined with natural effect finishes; the second one gives the wood a warmer shade.



COD. CC81

COD CC71

COD, CL01

COD DA21

COD. CC61







2 coats with Color Plus White

1 coat with Color Plus Antique 2 coats with Color Plus Antique













Pack.

3 x 5 L

12 x 1 L

3 x 5 L

12 x 1 L

FINISHES FOR SPORTS FLOORS

Pack.

Sportfloor Color

Two-part water-based paint for game lines and areas

Two-part paints suitable for lines and areas marking. They have both high covering and excellent adhesion properties on wooden surfaces. Available in many colours.



4 x (2,5+0,25) L





COD, CC46

Colour Chart

Other colours on demand according to RAL colour chart

SPORTFLOOR :





















RAL 6006 RAL 7040





RAL 5005

RAL 7035



RAL 5018

RAL 7030





RAL 2009



RAL 3002





RAL 3000





RAL 3011





RAL 3020













SPORTFLOOR A SE











Two-part water-based sealer for UV prefinished sports floors

Two-part sealer for sportive wooden floorings. Very easy to apply, it has been formulated to ensure a perfect adhesion of marking paints and finishing products on prefinished floors.





2 x (5+0,5) L











Sportfloor Base 1K One-part water-based sealer for unfinished sports floors

One-part sealer to be applied as first coat on large surfaces; it is easy to apply and to sand and does not change the original aspect of the wood. Its adhesion with successive finishing products is excellent.



3 x 5 L













COD, CC41

COD, CC51



Sportfloor Refresh

Protection/Refresh product for sports floors

It renews worn sports floors by restoring their initial characteristics. Complies with the UNI EN 14904 standard regarding the slipperiness of sports floors. Gloss scale: matt, glossy.

12 x 1 L





COD. EA46

Sportfloor Cleaner N2 Concentrated cleanser for heavy dirt

Sportfloor Cleaner N2 is to be used to remove black marks, grease residues and impurities. It also helps to renew the antiskid properties of the surface.

12 x 1 L

3 x 5 L

3 x 5 L

COD. EC19

Sportfloor Remover

Sticky residue remover

Sportfloor Remover is the cleanser removing particularly persistent traces of dirt and sticky residues, like those left by adhesive tape, walkable stickers used for advertising purposes or the

anti-slip strips on steps and terraces.

12 x 1 L


COD, EA51











TOVER*

3 x 5 L

12 x 1 L

13 x 500 ml

COD. DA16


Specific product for the treatment of damaged, grey and dull wood. It enables to easily remove the grey patina due to mildew and UV rays and to renew the original brightness of the wooden


Grey Free


Restoring solution for grey wood











TOVER®





ACCESSORIE	S FOR FINISHING	Pack.
	Telescopic extension Aluminium 200 cm	20 pcs
	Omega cage handle 250 mm Ø 45 mm	10 pcs
	Omega Mohair roller Spare roller for cage handle 250 mm Ø 45 mm 6 mm hair COD. FD04004A000	12 pcs
	Omega handle Pressure handle 250 mm Ø 8 mm	10 pcs
	Omega Mohair roller Spare roller for cage handle 250 mm Ø 40 mm 6 mm hair COD. FD04005A000	12 pcs
	Hola handle Red combi cage handle 250 mm	10 pcs
	Hola Microfibre roller Spare roller for cage handle 250 mm 6 mm hair COD. FD05004A000 10 mm hair COD. FD05005A000	6 mm hair 12 pcs 10 mm hair 12 pcs

ACCESSORII	ES FOR FINISHING	Pack.
	Hola roller Complete roller for primers 250 mm	20 pcs
	Seitz handle Pressure handle 250 mm Ø 8 mm	20 pcs
	Seitz Mohair roller Spare roller 250 mm 4 mm hair COD. FD07006A000	10 pcs
	Seitz Microfibre roller Spare Microfibre roller 250 mm 8 mm hair	10 pcs
	Container Rectangular container for lacquers 12 litres 35x25x20 cm	5 pcs
	Polurene bag for lacquers 25 pcs/pack COD. FD03008A000	40 pcs


TOVER®

Your formula









CLEANING	OF STONEWARE, LAMINATE, RESIN, LVT FLOORS	Pack.
	Ready-Pro Antistatic natural cleanser for laminate floors	12 x 750 ml
	Antistatic natural cleanser for laminate floors. Thanks to the spray, the strictly necessary quantity of product is used. Once dry it is streak-free.	750 ml
NIFE COST	Myfloor Cleaner High-concentrated cleanser for flooring	12 x 1 L
	Neutral high-concentrated cleanser for the frequent cleaning of any surface. Thanks to its excellent degreasing properties, it gets very good results even on high-traffic areas and can clean greasy dirt effectively. COD. EAS6	1 L

TOVER° 46 Be part of it.





CLEANING	OF STONEWARE, LAMINATE, RESIN, LVT FLOORS	Pack.
METTARDUE	Nettardue Concentrated cleanser to remove intense dirt Concentrated degreasing and de-waxing cleanser. It removes previous layers of metallized waxes from vinyl flooring, PVC, rubber and linoleum.	12 x 1 L
2000	COD. EB01	1 L

ANTIBACTE	ERIAL SANITIZING AND PROTECTIVE CLEANSERS	Pack.
A	Sanifloor Sanitizing cleanser for floors	3 x 4 L
SANIFLOOR	Concentrated sanitizing cleanser for any kind of floor, based on benzalkonium chloride (classified as biocide by ECHA) and hydrogen peroxide. It can remove dirt and acts effectively against germs, bacteria (Gram+ and Gram-), fungi, algae and spores. Ideal for daily cleaning of ceramic tiles, porcelain stoneware, marble, terracotta, PVC, LVT, rubber, wood and laminate, it is also deligate an autocon and track for Suitable for the process.	12 x 1 L
	it is also delicate on surfaces and streak-free. Suitable for pet spaces. BIOCIDE BY ECHA COD. EA66	1 L
2%	Saniparquet	
SANGACOST STATE OF THE PARTY OF	Sanitizing cleanser for wooden floors Concentrated sanitizing cleanser for lacquered and oiled wood floors based on benzalkonium	12 x 1 L
	chloride (classified as biocide by ECHA) and hydrogen peroxide. It can remove dirt and acts effectively against germs, bacteria (Gram+ and Gram-), fungi, algae and spores. Ideal for daily cleaning, it is delicate on surfaces and streak-free. Suitable for pet spaces.	1L
	BIOCIDE BY ECHA COD. EA26	TL.
A	Sani Pro Protective and regenerating product for any surface Antibacterial action	12 x 1 L
PROTETING MOCHERAPTE P	It can regenerate dull and worn surfaces and protect them from germs and bacteria. It forms a film resistant to scratches and stains and, thanks to its silver ion content, ensures a permanent antibacterial action, as long as the applied layer is not worn. Suitable for all types of floors and furniture.	
	AG+	1 L
	COD. EC18	


CLEANSER	S FOR DECKING AND WPC	Pack.
OTOX SOAN	Deck-Soap Natural soap based on coconut oil for decking	12 x 1 L
	Natural soap with coconut oil for decking. It cleans and nourishes the wood, improving the protective characteristics of the finishing. High degreasing power. COD. EA07	1L
ns.waco	Re-Wood Concentrated cleanser for decking	12 x 1 L
da a	Highly concentrated decking cleanser. It removes the dirt nestled in the wood fibres and, if used in higher concentration, also the residues of previous treatments. COD. EB11	1 L
WPC V	WPC Cleaner WPC neutral cleanser	12 x 1 L
	WPC Cleaner is a neutral cleanser specifically formulated to clean WPC surfaces. Thanks to its strong degreasing efficiency it gets the best results on high traffic areas, even if stained with grease or oil.	1 L











FLOOR MAIN	ITENANCE	Pack.
MAKE-UP	Make-Up Regenerating product for laminate, LVT, vinyl and resins floors	12 x 1 L
The second of	Make-up refreshes scratched and dull laminate floorings and brings them back to their initial beauty. Applied on new floors, it enhances the colour and creates a protective water-proof film on the surface, resistant to abrasion. It protects the floor and improves appearance. Gloss scale: matt, glossy. COD. EC21	1 L
	Before	ter

FLOOR MAIN	ITENANCE	Pack.
ux	Lux Reviving wax for wood floors	12 x 1 L
	Natural waxes emulsion. It refreshes and protects dull and worn surfaces. Product for a periodical maintenance of lacquered and natural or coloured oiled wood floors.	1 L
400	COD. EC11	
LUX	Lux Matt Refreshing wax for wood floors	12 x 1 L
	It refreshes dull and worn wood flooring finished with matt neutral or coloured oils or lacquers. Suitable for periodical maintenance.	1 L
	COD. EC12	
LUX V	Lux Bianca Reviving wax for whitened and bleached wood floors	12 x 1 L
BIANCA	Natural waxes emulsion. It refreshes and protects dull and worn surfaces. Product for a periodical maintenance of bleached lacquered and oiled wood floors.	1 L
	COD. EC11	
LRO	I.R.O. Water-proofing protective agent for oiled floors	12 x 1 L
4.00	Ready-to-use product formulated with neutral resins to grant water-proof, anti-spot and dirt properties to floors treated with oils. Lets the wood breathe.	1 L
	COD. ECO1	
RESINAL	Resinal Wax High resistance protective wax	12 x 1 L
	Self-polishing wax suitable to restore scratched and worn floors. Recommended for the maintenance of lacquered wood floors, linoleum, PVC and terra cotta. It creates on the surface a water-proof washable film, resistant to alcohol and wear.	1 L
	COD. EC16	
RINOVOIL	Rinovoil Maintenance oil	12 x 1 L
Tools de la constitución de la c	Ready-to-use blend of oils and natural waxes for a quick and easy periodical maintenance of neutral and coloured oiled surfaces. It regenerates and renews dull and locally worn woods.	1 L
	COD. CG31	

TOVER*





WOOD FLOOR MAINTENANCE

Pack.

Universal Wax

Creamy wax for wooden floors

12 x 1 L

Creamy blend of pure bee and carnauba waxes. It can be used as a finishing product or for a maintenance treatment on floors, stairs and furniture. Easy to use and quick to dry, it enables to get a rich warm effect, easy to renew. The whitening version is recommended on bleached graphics along the product of the product or white oiled floors. Available in neutral version, walnut and white colours.

1 L

COD. ED06



Riflex B12

Water-proof emulsion of waxes and essential oils

12 x 1 L

Product based on natural hard waxes to protect and maintain unfinished, waxed and neutrally oiled wood, stone and terra cotta. It creates a pleasantly smooth and bright surface. Available in neutral version, walnut and white colours.

10 x 500 ml



FLOOR CLEANERS





Hard black brush for cleaning decking



Medium grey brush for cleaning wood floor indoor

Wash Pro

Professional floor cleaner

It cleans deeply leaving the surface dry. For indoor and outdoor, it can be equipped with a medium brush (grey) for cleaning the wood floor and a rigid one (black) for decking and intensive treatments. Lightweight, ultra-compact and easy to carry.

Technical features

Body height	140 mm
Body width	285 mm
Body length	330 mm
Front brush	Ø 86 700 rpm
Rear brush	Ø 54 1145 rpm
Working width	385 mm
Working capability	500 sqm/h
Induction motor power	400W 2800 rpm
Total tank capacity	4 L
Waste tank capacity	1,8 L
Total weight (empty)	11 kg

Wash Pro 35 Medium bristle grey brush set Hard bristle black brush set

COD. FI01350A000 COD. FI01201A022 COD. FI01201A023



It thoroughly cleans floors in wood, natural stone and linoleum thanks to a disc that performs 1,450 rpm. Equipped with an anti-vibration system, it is balanced and easy to handle. Easy to carry, is equipped with a tilting handle.

Technical features

Max total power	290 Watt/230V	
Oscillation speed	1450 rpm	
Working width	33 cm	
Height	25 cm	
Cable length	7,5 meters	
Weight with brush	13 kg	

COD. FA04005A





SANDING MACHINE

Extreme

Sanding machine for wood floors

- Variable speed sanding machine with inverter, complete with:
- Planetary disc with 4 satellites Ø 150 mm, convertible to 3

 Velcro pad holder for Pad Ø 430 mm 	
 4 hard Velcro pads Ø 150 mm 	da
 4 soft Velcro pads Ø 150 mm 	
LED lights kit	
 Additional 220V socket 	
	_00
7	
C. C.	600
STREET	
The state of the s	

Technical features

4	
220	
50	
1400	
155 - 250	
800 - 1300	
430	
43x127x70	
77 (55+22)*	
12	

Planetary

The counter-rotating planetary in tempered steel with 4 tool holders allows you to always obtain a smoothing and regular sanding. Easy to assemble without the use of tools, it can be modified in a planetary with three pads to increase the mechanical action of the machine. Weight 12 kg.

Pad holder

The pad holder for the use of abrasive pads and screens to obtain the maximum efficiency in sanding, oiling and washing of the floor. Equipped with the same flange as the most common sanding machines on the market. Ø 430 mm.

*Sanding unit + carriage

COD. FA01006A000

ACCESSORII	ES FOR EXTREME	Tech. data	Code
	Velcro pads Backing pads for abrasive papers. They fit quickly into the tool holder	Hard	FA01251A000
	of the planetary for perfect results in all conditions. Available both hard and soft. \varnothing 150 mm.	Soft	FA01252A000
	Diamond sanding pads Perfect for sanding wooden floors. They can sand deeply, they last about 100 times longer than a set of abrasive papers. They don't clog up and do not lose effectiveness even in the presence of hard finishes. Great flatness on large surfaces.	Ø 140 mm	FA01250A000
		Ø 140 mm Grit 20	FA01253A020
	Diamond blades for concrete Diamond blades for hard concrete. They guarantee a high removal	Ø 140 mm Grit 40	FA01253A040
	rate reducing tool consumption.	Ø 140 mm Grit 70	FA01253A070
		Ø 140 mm Grit 140	FA01253A140
	Steel brush Steel brush suitable for deep brushing of wood floors on site.	Ø 140 mm	FA01254A000
	Tynex brush Tynex brush suitable for brushing wood floors on site. The use of the different grits allows to obtain a surface that is soft to the touch and without scratches.	Ø 140 mm Grit 36	FA01255A036
		Ø 140 mm Grit 70	FA01255A070
		Ø 140 mm Grit 120	FA01255A120
0	Additional weight Easy to insert, without the use of tools.	17 kg	FA01248A000
	Liquid tank 18 It liquid tank in shockproof ABS. Rod for delivery regulation in ergonomic position.	18 L	FA01249A000

VACUUM		Tech. data	Code
	POWER TOOL PRO Vacuum equipped with a new generation high efficiency and great power motor. Equipped with the three-stage filtration system to guarantee the best performance filtering and greater engine protection. The "SHOCKING VALVE" system allows the semi-automatic cleaning of the filter and ensures an extreme duration. Supplied with socket for electrical accessory with power of max 2000 W.	1250 W 36 L	FA05009A000
		1450 W 50 L	FA05010A000



NOTES







